

Investigating on-road crash risk and traffic offences in Vietnam using the motorcycle rider behaviour questionnaire (MRBQ)

Non Peer-reviewed author version

Bui, Hiep-Trung; Saadi, Ismail & COOLS, Mario (2020) Investigating on-road crash risk and traffic offences in Vietnam using the motorcycle rider behaviour questionnaire (MRBQ). In: Safety Science, 130 (Art N° 104868).

DOI: 10.1016/j.ssci.2020.104868

Handle: <http://hdl.handle.net/1942/32910>

# Investigating on-road crash risk and traffic offences in Vietnam using the motorcycle rider behaviour questionnaire (MRBQ)

Hiep Trung Bui<sup>a,c,\*</sup>, Ismaïl Saadi<sup>a,b,\*\*</sup>, Mario Cools<sup>a,d,e</sup>,

<sup>a</sup>*Local Environment & Management Analysis (LEMA), Urban and Environmental Engineering (UEE), University of Liège, Allée de la Découverte 9, Quartier Polytech 1, 4000 Liège, Belgium*

<sup>b</sup>*National Fund for Scientific Research (F.R.S.-FNRS), Rue d'Egmont 5, 1000 Brussels, Belgium*

<sup>c</sup>*University of Economics, The University of Danang, Ngu Hanh Son 71, Danang, Vietnam*

<sup>d</sup>*KULeuven Campus Brussels, Department of Informatics, Simulation and Modeling, Warmoesberg 26, 1000 Brussels, Belgium*

<sup>e</sup>*Hasselt University, Faculty of Business Economics, Agoralaan Gebouw D, 3590 Diepenbeek, Belgium*

---

## Abstract

The factor structure of the Motorcycle Rider Behaviour Questionnaire (MRBQ) was investigated in Vietnam, a developing country with an extensive motorcycling culture. In addition, we examined which of the MRBQ factors, riding information and demographic variables predict motorists' crash risks and traffic violations. Exploratory factor analysis (EFA) of the MRBQ revealed a clear four-factor structure of 36 items (N=2.254 riders). This study highlights some critical differences between motorists from Vietnam and other countries. Vietnamese riders without a driver's licence had lower on-road crash/near-crash rates, and the use of safety equipment paradoxically increased the incidence of crash risks. Furthermore, crash/near-crash liability and offences of Vietnamese motorcyclists rose with riding years (in terms of years already riding a motorcycle). The 36-item version of the MRBQ provided in this paper may be applied to other motorcycling countries. Besides, based on the robust relationships between the MRBQ factors and accident risks, new effective on-road safety strategies can focus on minimizing the common aberrant riding behaviours such as traffic errors, control errors, speed and alcohol-related violations in Vietnam.

**Keywords:** motorcycling, MRBQ, on-road crash risk, traffic offences, Vietnam

---

---

\*[hiepbth@uee.edu.vn](mailto:hiepbth@uee.edu.vn)

\*\*Corresponding author: [ismael.saadi@uliege.be](mailto:ismael.saadi@uliege.be)

## 13 Highlights

- 14 • A representative sample of 2254 observations was collected in Danang, Vietnam.
- 15 • Factor analysis of the MRBQ showed a clear 4-factor structure of 36 items.
- 16 • Motorists often ride even when the required traffic safety conditions are not satisfied.
- 17 • Females report lower rates of collision risks and offences than males.
- 18 • Crash/near-crash liability and offences of riders increased with riding years.

## 1. Introduction

Motorcycles have become an essential way of ensuring active participation in social and economic activities for the vast majority of citizens living in countries where motorcycling is widespread. Nonetheless, the large number of motorcycles, in addition to the inherent dangerous characteristics of the motorcycle-traffic environment, pose substantial threats to motorists (Jadaan et al., 2018; Vlahogianni et al., 2012; WHO, 2017). World Health Organization figures show that motorcyclists account for 43% of all deaths in South-East Asia (WHO, 2018). Particularly, Vietnam’s National Traffic Safety Committee reported more than 8.500 deaths each year from on-road crashes, whereas about 90% of victims were motorcyclists and their passengers. Vietnam’s economic losses are more than \$2 billion per year due to traffic accidents, of which the motorcycling share of about 75% (United Nations, 2018). Thus, improving safety for motorcyclists is a matter of urgency.

Aberrant riding behaviours are important contributors to traffic accidents (Evans, 1993; Lin & Kraus, 2009; Ngo et al., 2012; Kitamura et al., 2018). Many studies have highlighted the main causes of motorcycle crashes are traffic errors and violations (Vlahogianni et al., 2012). The National Traffic Safety Committee of Vietnam also reported that aberrant riding behaviours such as speeding and unsafe overtaking/lane-shifting accounted for more than 60% of all road fatalities in this country (Tuan, 2015). An understanding of riding behaviours among motorcyclists has become a prerequisite when trying to identify the causes of motorcycling accidents (Hung & Huyen, 2011; ITF, 2015).

Road safety literature has emphasized the essential role of the self-reported survey in the investigation of riding behaviour around the world (Elliott et al., 2007; Sullman & Taylor, 2010). Following the success of the Driver Behaviour Questionnaire (De Winter & Dodou, 2010; Reason et al., 1990), one of the most widely used instruments for investigating four-wheeled vehicles driving behaviours, the Motorcycle Rider Behaviour Questionnaire (MRBQ) was developed to measure motorcycle-related riding behaviours (Elliott et al., 2007). There are five factors in the original MRBQ, i.e. traffic errors (unintentional mistakes made by the rider), control errors (motorcycle handling lapses), speed violations, performance of stunts (intended excitement seeking actions) and use of safety equipment. After the creation of MRBQ, a variety of alternative factor structures were proposed, and supplementary questions were added to the initial questionnaire (Table 1). For instance, items that were perceived as “Performance of stunts” among British motorists, were classified under “Control/Safety” (acts in the context of losing control and safety) in the study

concerning Nigerian riders (Sunday, 2010). The observed distinction between “Traffic errors” and “Control errors” was not manifest among novice Australian motorists, which resulted in a single “Errors” factor (Sakashita et al., 2014).

| Country (author)                      | Sample size | % male | Factors: items from Table A.8 + authors’ additional items                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------|-------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| United Kingdom (Elliott et al., 2007) | 8666        | 92.0   | Traffic errors: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13<br>Speed violations: 14, 15, 16, 17, 18, 19, 20, 21, 22<br>Stunts* <sup>1</sup> : 23, 24, 25, 26<br>Control errors: 35, 36, 37, 38<br>Safety equipment** <sup>2</sup> : 27, 28, 29, 30, 31, 32, 33, 34                                                                                                           |
| Iran (Motevalian et al., 2011)        | 518         | 100.0  | Traffic errors: 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, and 1 additional item<br>Speed violations: 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, and 1 additional item<br>Safety violations: 34, and 6 additional items<br>Traffic violations: 5 additional items<br>Stunts: 23, 24, 25, 26, 35, 36, and 1 additional item<br>Control errors: 37, 38, 39, 40, and 2 additional items |
| Turkey (Özkan et al., 2012)           | 451         | 100.0  | Traffic errors: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10<br>Speed violations: 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 40<br>Stunts: 21, 23, 24, 25, 26, 42<br>Safety equipment: 27, 28, 29, 30, 31, 32, 33, 43<br>Control errors: 35, 36, 37, 38, 39                                                                                                                              |
| Australia (Sakashita et al., 2014)    | 2375        | 79.2   | Traffic errors: 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 22, 35, 36, 37, 38<br>Speed violations: 14, 15, 16, 17, 18, 19, 21<br>Stunts: 23, 24, 25, 26<br>Safety equipment: 27, 28, 29, 30, 33                                                                                                                                                                               |
| Malaysia (Ng et al., 2015)            | 204         | 84.8   | Traffic errors: 1, 2, 5, 6, 7, 8, 9, 10, 11, 12, 13<br>Speed violations: 14, 15, 16, 17, 18, 19, 20<br>Stunts: 21, 22, 23, 24, 25, 26, 41<br>Safety devices: 27, 28, 29, 30, 32<br>Control errors: 35, 36, 37, 38                                                                                                                                                          |
| Australia (Stephens et al., 2017)     | 470         | 89.0   | Traffic errors: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10<br>Speed violations: 14, 15, 16, 17, 18<br>Stunts: 21, 23, 24<br>Control errors: 12, 13, 35, 36, 37, 38<br>Protective gear: 27, 28, 29, 30, 32                                                                                                                                                                               |
| Nigeria (Oluwadiya, 2018)             | 500         | 100.0  | Control/Safety: 23, 24, 26, 29, 31, 35, 38, 40, 41, and 2 additional items<br>Stunts: 12, 13, 18, 22, 37, and 2 additional items<br>Errors: 1, 3, 36, and 1 additional item<br>Speeding/Impatience: 7, 10, 11, 15, 21, 25, and 1 additional item                                                                                                                           |
| Slovenia (Topolšek & Dragan, 2018)    | 205         | 86.3   | Traffic errors: 1, 2, 3, 5, 6, 7, 11, 16<br>Speed violations: 18, 19, 20, 21<br>Stunts: 23, 25, 26, 27, 28<br>Safety equipment: 29, 30, 31, 32, 40, and 3 additional factors:<br>Helmet: 3 additional items, Clothing: 3 additional items, Alcohol: 3 additional items                                                                                                     |

Table 1: The MRBQ factor structures across countries. \*Performance of stunts - \*\*Use of safety equipment

The differences in MRBQ outcomes across studies highlight important variations in on-road

54 traffic safety between countries, and further research should adopt the MRBQ to investigate the  
55 riding behaviours in countries with high motorcycle dependence ([Hsu et al., 2003](#)).

56 Various methods for determining riding behaviours and the relationship between riding be-  
57 haviours and accident involvement have been suggested in previous research ([Vlahogianni et al.,](#)  
58 [2012](#)). When direct observation and official traffic records are not systematically collected due  
59 to limited resources, the ability of MRBQ, which can provide a report of how a person rides in  
60 different traffic circumstances, would improve its utility in motorcycle safety research and practice.  
61 One of the most valuable applications of the MRBQ is to identify behaviours which increase the  
62 likelihood of motorcycle accidents. For instance, traffic/control-related errors and speed violations  
63 are some of the most significant behavioural factors that affect motorcyclists' accident risks ([Elliott](#)  
64 [et al., 2007](#); [Sakashita et al., 2014](#); [Vlahogianni et al., 2012](#)). Meanwhile, performance of stunts was  
65 the unique MRBQ factor correlated with crash involvement among Australian motorists ([Stephens](#)  
66 [et al., 2017](#)). Similarly, this factor was the primary determinant of active accidents (i.e. hitting  
67 another road user or an obstacle) and traffic offences (related to parking, overtaking, speeding  
68 or other traffic violations) for Turkish riders ([Özkan et al., 2012](#)). The factor of using the safety  
69 equipment emerged from all of the studies mentioned above but was not likely to be a determinant  
70 of crash or near-crash incidents. Ensuring the validity and reliability of the MRBQ is of great  
71 importance for the evaluation of the interventions aimed at motorcyclists.

72 Most of the validation and application of MRBQ studies were conducted in high-income coun-  
73 tries such as the United Kingdom [Elliott et al. \(2007\)](#), Australia ([Sakashita et al., 2014](#); [Stephens](#)  
74 [et al., 2017](#)), Slovenia ([Topolšek & Dragan, 2018](#)), or in nations where most of the motorcyclists  
75 ride for pleasure or sensation-seeking like Iran ([Motevalian et al., 2011](#)), and Turkey ([Özkan et al.,](#)  
76 [2012](#)). There is also a need to investigate riding behaviours in low- and middle-income countries  
77 with a large dependency on motorcycles.

78 The Vietnam Association of Motorbike Manufacturers announced that Vietnam has more than  
79 50 million motorcycles, and up to 79% of the population uses a motorcycle for regular riding  
80 ([VAMM, 2018](#)). This makes Vietnam one of the top countries in terms of motorcycle dependence.  
81 However, a limited number of studies concerning riding behaviours in Vietnam have been conducted  
82 and provided decisive insights for policymakers and traffic managers. Previous research efforts only  
83 focused on one specific riding behaviour, such as wearing a helmet, using a mobile phone while  
84 riding, drinking-driving or speeding ([Bao et al., 2017a](#); [Gruyter et al., 2017](#); [Mohamad et al., 2018](#);

Ngo et al., 2012; Trinh & Le, 2016; Truong et al., 2016). Consequently, this research was motivated by the urgent need for a more comprehensive understanding of riding behaviours by using MRBQ and addressing motorcycling safety issues within the context of Vietnam. The purposes of this study are (i) to analyze the factor structure of Vietnamese MRBQ, and (ii) to investigate the relationships between the MRBQ factors, background variables, riding information and accident involvements and traffic violations in Vietnam.

## 2. Material and method

### 2.1. Data collection

Data collection was conducted in Vietnam, and consists of three sections: (i) demographic and riding experience background, (ii) information about self-reported traffic accidents and received violation tickets, and (iii) the MRBQ. Trained students from the University of Danang delivered the paper-based questionnaire to the participants at parking lots and residential areas. Only people who have ridden a motorcycle were invited to participate in this survey, and they were assured of confidentiality and anonymity. Initially, the total number of motorcyclists interviewed for this survey was 2823. The final dataset includes 2254 observations after deletion of incomplete observations. Tables 2 and 3 present the descriptive statistics of the sample.

| Variable      | Description                                             | N    | Mean   | Std. Dev. |
|---------------|---------------------------------------------------------|------|--------|-----------|
| Age           | Age of the motorcyclist                                 | 2254 | 24.3   | 5.9       |
| Riding years  | Total years of riding a motorcycle                      | 2254 | 6.1    | 5.2       |
| License years | Total years of holding a driver's license               | 2254 | 4.9    | 4.7       |
| Mileage       | Average annual mileage (km)                             | 2233 | 4863.8 | 4769.5    |
| Near crashes  | Number of near crashes (last 12 months)                 | 2241 | 1.5    | 3.5       |
| Crashes       | Number of crashes (last 12 months)                      | 2253 | 0.9    | 1.8       |
| Offences      | Number of penalized traffic violations (last 12 months) | 2253 | 0.24   | 0.93      |

Table 2: Basic descriptive statistics: continuous variables

| Variable                                    | N    | Category               | Frequency | Proportion (in %) |
|---------------------------------------------|------|------------------------|-----------|-------------------|
| Gender                                      | 2250 | Female                 | 1650      | 73.3              |
|                                             |      | Male                   | 600       | 26.7              |
| Highest education level attained            | 2254 | Elementary school      | 7         | 0.3               |
|                                             |      | Secondary school       | 23        | 1.0               |
|                                             |      | High school            | 82        | 3.6               |
|                                             |      | Bachelor / Engineer    | 2044      | 90.7              |
|                                             |      | Master / PhD           | 68        | 3.0               |
|                                             |      | Others                 | 30        | 1.3               |
| Holding a driver's license                  | 2254 | No                     | 156       | 6.9               |
|                                             |      | Yes                    | 2098      | 93.1              |
| Riding frequency                            | 2254 | Everyday               | 1953      | 86.6              |
|                                             |      | Several times per week | 253       | 11.2              |
|                                             |      | Once a week            | 14        | 0.6               |
|                                             |      | Less than once a week  | 34        | 1.5               |
| Main riding purposes                        | 2246 | Carry for free         | 18        | 0.8               |
|                                             |      | Carry for money        | 13        | 0.6               |
|                                             |      | Others                 | 29        | 1.3               |
|                                             |      | Relax / Travel / Sport | 27        | 1.2               |
|                                             |      | To work/study places   | 2159      | 96.1              |
| Having own motorcycle                       | 2254 | No                     | 245       | 10.9              |
|                                             |      | Yes                    | 2009      | 89.1              |
| Experience near-crash in the past 12 months | 2254 | No                     | 996       | 44.2              |
|                                             |      | Yes                    | 1258      | 55.8              |
| Experience crash in the past 12 months      | 2254 | No                     | 1372      | 60.9              |
|                                             |      | Yes                    | 882       | 39.1              |
| Have traffic offence in the past 12 months  | 2254 | No                     | 1918      | 85.1              |
|                                             |      | Yes                    | 336       | 14.9              |

Table 3: Basic descriptive statistics: categorical variables

## 2.2. Measures

### 2.2.1. Demographic questions

The questionnaire included items asking participants' socio-demographic background, e.g. age, gender, education level, and their riding information, e.g. licence tenure, riding purpose, riding frequency, average riding distance per year and self-reported traffic accidents and traffic violations. To assess riding incidents, the following formulation was adopted: "During the last 12 months,



107 how many near-crashes / crashes / penalized traffic violations have you had?". In this study, we  
108 defined "near-crash" as "dangerous traffic situations where motorcyclists are fortunate enough to  
109 escape from the collision", and "crash" as "a traffic accident involvement leading to injuries, and/or  
110 material damage". Those definitions are consistent with the study in Australia (Sakashita et al.,  
111 2014), which defined "motorcycle crashes" as "collisions with someone or something, or coming off  
112 the bike but excluding dropping or knocking it over while parked" and "near-crash" as "almost  
113 had a crash but did not".

#### 114 2.2.2. The Motorcycle Rider Behaviour Questionnaire (MRBQ)

115 The original MRBQ has 43 items, and for each item, the respondents are asked to rate the  
116 frequency of their riding behaviour during last year by choosing one option from the 6-point scale:  
117 1=never, 2=hardly ever, 3=occasionally, 4=quite often, 5=frequently, and 6=nearly all the time.  
118 The use of this scale provided good reliability with Cronbach alpha coefficients for the five factors  
119 ranging from 0.70 to 0.84 (Elliott et al., 2007). Two researchers used the back-translation technique  
120 to translate MRBQ from English to Vietnamese. With 20 Vietnamese motorcyclists and two traffic  
121 police officers, we held focus group discussions to find out what they understood from each question  
122 and noted unclear items. We defined the final list of items by taking into account the feedback  
123 from the discussions in the focus group.

#### 124 2.2.3. Methodology

125 Regarding the information gaps within the MRBQ, missing values were replaced by the mean  
126 of the non-missing observations for that variable. In this respect, mean imputation was performed  
127 on 190 data points, corresponding to a negligible 0.2% of the overall dataset.

128 Before exploring the factor structure of the MRBQ, the models presented in Table 1 were  
129 assessed using Confirmation Factor Analysis (CFA) on our collected dataset. The CFA was es-  
130 timated with an asymptotically distribution-free estimation configuration. In case those existing  
131 models would poorly fit the data, Principal Axis Factoring (PAF) and Direct oblimin rotation  
132 methods were applied to investigate the factor structure of the Vietnamese MRBQ. Furthermore,  
133 the internal consistency of the MRBQ scale scores was estimated by systematically computing the  
134 Cronbach's alpha reliability coefficients.

135 Finally, the associations between demographic variables, riding information, MRBQ factors  
136 and self-reported yearly crash outcomes, including near-crashes, crashes and traffic offences, were

analyzed using negative binomial regression (see Figure 1).

### 3. Results

#### 3.1. Sample description

A basic statistical description of the collected sample is presented in Tables 2 and 3. The mean age was 24.3 years, ranging from 20 to 71 years old, and about 73% of participants were female. Young riders and university graduates accounted for large proportions of our sample. This was the group of Vietnamese people who always wanted to contribute ideas for improving the current traffic conditions (Nguyen-Phuoc et al., 2019; Nguyen et al., 2013). Thus, they participated actively and responsibly in our survey. However, it is important to enlarge the range of demographic backgrounds when sampling of Vietnamese riders in future work.

The majority of participants held a driver's licence. 86.6% of respondents said that they rode every day, and almost 96% used the motorcycle to go to work/study sites. The average riding period was 6.1 years, and the mean duration of possessing the licence was 4.9 years. The mean annual riding distance was 4863.8 kilometres. Typically, the motorcycle is used for short trips in motorcycling countries; thus, these findings are within expectations.

In terms of crash involvement, 39.1% of the participants reported to be involved in at least one crash over the last 12 months, and 55.8% of the sample reported to have encountered at least one near-crash scenario. In addition, 14.9% of the sample was penalized for traffic violations in the last year.

#### 3.2. MRBQ item scores

The results obtained from this research are in line with most of the previous studies (Elliott et al., 2007; Motevalian et al., 2011; Özkan et al., 2012; Sakashita et al., 2014; Stephens et al., 2017; Sunday, 2010; Topolšek & Dragan, 2018), which find that the MRBQ responses are typically between "never" and "hardly ever". Vietnamese motorists indicated that the most common behaviours were linked to safe riding. For instance, on the scale ranging from 1 (never) to 6 (almost all the time), the two highest-scoring items were item 35 "Brake or throttle back (slow down) when going around a bend" ( $M=4.560\pm1.309$ ) and item 36 "Change gears when going around a corner or bend" ( $M=4.500\pm1.360$ ). The motorcycle's relative lack of protection may cause riders to appreciate their additional vulnerability (Huth et al., 2014). As a result, they generally take a




Figure 1: Factor analysis pathway

defensive approach on the road, with a tendency to be less aggressive while riding (Rowden et al., 2016).

On the other hand, items relating to the use of safety equipment had fairly low ratings, for example, item 43 "Wear bright/fluorescent clothing" ( $M=1.430\pm0.833$ ), item 33 "Wear bright fluorescent strips/patches on your clothing" ( $M=1.490\pm0.947$ ). Noticeably, item 31 "Wear no protective clothing", which also related to the use of protective equipment, had a high score ( $M=3.940\pm1.800$ ). Generally, those behaviours are extremely rare among Vietnamese motorcyclists due to the lack of road traffic laws on protective gear while riding, except for the mandatory helmet legislation from August 2000 (Hill et al., 2009; Hung et al., 2008; Bao et al., 2017a).

### 3.3. Factor analysis of MRBQ

A CFA has been applied to validate the internal structure of the MRBQ. Model fitting is systematically evaluated with the Chi-squared/degree of freedom ( $\chi^2/\text{df}$ ) ratio, the Goodness-of-Fit Index (GFI), the Adjusted Goodness-of-Fit Index (AGFI), the Comparative Fit Index (CFI), the Root Mean Square Residual (RMR), and the Root Mean Square Error of Approximation (RMSEA, RMSEA CL90) (Byrne, 2016). In general, appropriate fitted models should have 2/1 or 5/1 as  $\chi^2/\text{df}$  ratio, GFI  $>0.9$  (Jöreskog & Sörbom, 1986), AGFI  $>0.9$  (Tanaka & Huba, 1985), CFI  $>0.9$  (preferably  $>0.95$ ) (Bentler, 1990), and RMSEA and RMR  $<0.08$  or  $0.01$  (preferably  $<0.06$ ) indexes (Browne et al., 1993).

Since no model had given a reasonable fit of the Vietnamese sample (Table 4), this data was re-examined within an EFA framework (Hu & Bentler, 1998; Thompson, 2007). The 43 items were subjected to PAF in order to determine the factor structure. Initially, eight factors had eigenvalues higher than 1.0. Based on the Scree plot and the parallel analysis, a 4-factor solution was retained. The Direct oblimin rotation method was applied because there had been some relatively high inter-correlations. The factor analysis was then rerun designating four factors.

| Model            | $\chi^2/\text{df}$ | GFI  | AGFI | CFI  | RMR  | RMSEA | LO 90 | HI 90 |
|------------------|--------------------|------|------|------|------|-------|-------|-------|
| UK               | 5.08               | 0.84 | 0.82 | 0.51 | 0.2  | 0.04  | 0.041 | 0.044 |
| Turkey           | 5.65               | 0.82 | 0.8  | 0.44 | 0.2  | 0.05  | 0.044 | 0.047 |
| Australia (2014) | 5.91               | 0.79 | 0.76 | 0.44 | 0.21 | 0.05  | 0.045 | 0.048 |
| Malaysia         | 5.13               | 0.83 | 0.80 | 0.53 | 0.19 | 0.04  | 0.041 | 0.044 |
| Australia (2017) | 5.53               | 0.83 | 0.80 | 0.56 | 0.18 | 0.05  | 0.043 | 0.047 |
| Nigeria          | 7.22               | 0.87 | 0.87 | 0.42 | 0.21 | 0.05  | 0.050 | 0.055 |
| Slovenia         | 5.50               | 0.90 | 0.87 | 0.48 | 0.18 | 0.05  | 0.042 | 0.047 |

Table 4: Goodness-of-fit statistics for competing models of the MRBQ

The possibility of using the factor analysis results without concerns is checked by applying the Bartlett's Test of Sphericity (BTS) and the Kaiser-Meyer-Olkin (KMO) test (Lohmes, 1971). The BTS value was noticeably significant:  $\chi^2(630) = 37916.7$  ( $p < 0.001$ ) and the KMO value was 0.92 > 0.5. Consequently, the BTS and KMO values indicated that the EFA could be reliably used for further analysis, in accordance with the recommendations (Field, 2013).

When interpreting the rotated factor patterns, six items from original MRBQ (i.e. item 12, 13, 31, 34, 39, 40) had low weights for all factors, and item 19 "Open up the throttle and just go for it on a country road" had high cross-loading. Therefore, these items were removed from the analysis. Based on the remaining 36 MRBQ items, the four factors explained 43.5% of the total variance. Questionnaire items and the corresponding factor loadings were shown in Table 5, while a loading value of 0.3 was used as a cut-off point.

The first factor explains 25% of the total variance. It is composed of nine items related to control errors and therefore labelled "Control errors" (CE). Two items (35, 36) were considered as the actions to avoid on-road risks, so they had negative factor loadings. Factor 2 accounts for 10% of the overall variance and included 13 items. All items were related to unintended mistakes made by the riders, so factor 2 was named "Traffic errors" (TE). Eight items fall under factor 3, which explains about 5% of the total variance. This factor was referred to as "Safety equipment" (SE), which involved the use of protective gears to improve the safety of the riders. Factor 4 included six items relating to speed infringements (with the exception of item 41). Item 41 "Ride when you suspect you might be over the legal limit for alcohol" is the only item of the original MRBQ relating to drunk driving. Subsequently, this factor was labelled "Speed and Alcohol-related

| Item                                                                                                                                                                              | Mean | Std. Dev. | Control errors | Traffic errors | Safety equipments | Speed and Alcohol-related Violations |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|----------------|----------------|-------------------|--------------------------------------|
| 35 Brake or throttle back (slow down) when going around a bend                                                                                                                    | 4.56 | 1.31      | -0.47          |                |                   |                                      |
| 36 Change gears when going round a corner or bend                                                                                                                                 | 4.50 | 1.36      | -0.46          |                |                   |                                      |
| 20 Ride between two lanes of fast moving traffic                                                                                                                                  | 1.52 | 0.83      | 0.47           |                |                   |                                      |
| 22 Ride so fast into a corner that you scare yourself                                                                                                                             | 1.57 | 0.85      | 0.47           |                |                   |                                      |
| 26 Unintentionally do a wheel spin                                                                                                                                                | 1.32 | 0.74      | 0.56           |                |                   |                                      |
| 21 Got involved in racing other riders or drivers                                                                                                                                 | 1.39 | 0.78      | 0.58           |                |                   |                                      |
| 24 Pull away too quickly and your front wheel lifted off the road                                                                                                                 | 1.29 | 0.71      | 0.65           |                |                   |                                      |
| 25 Intentionally do a wheel spin                                                                                                                                                  | 1.26 | 0.72      | 0.65           |                |                   |                                      |
| 23 Attempt or done a wheelie                                                                                                                                                      | 1.28 | 0.70      | 0.67           |                |                   |                                      |
| 37 Find that you have difficulty controlling the bike when riding at speed (eg steering wobble)                                                                                   | 3.09 | 1.31      |                | 0.34           |                   |                                      |
| 10 When riding at the same speed as other traffic, you find it difficult to stop in time when a traffic light has turned against you                                              | 2.37 | 1.16      |                | 0.34           |                   |                                      |
| 38 Skid on a wet road or manhole cover, road making                                                                                                                               | 2.63 | 1.11      |                | 0.38           |                   |                                      |
| 3 Not notice a pedestrian waiting at a crossing where the lights have just turned red                                                                                             | 2.08 | 1.05      |                | 0.38           |                   |                                      |
| 1 Fail to notice that pedestrians are crossing when turning into a side street from a main road                                                                                   | 2.64 | 0.99      |                | 0.43           |                   |                                      |
| 5 Miss Give Way signs and narrowly avoid colliding with traffic having right of way                                                                                               | 2.11 | 1.05      |                | 0.51           |                   |                                      |
| 9 Attempt to overtake someone that you had not noticed to be signaling a right turn (in England, left turn in other countries)                                                    | 2.24 | 0.97      |                | 0.51           |                   |                                      |
| 11 Ride so close to the vehicle in front that it would be difficult to stop in an emergency                                                                                       | 2.65 | 1.02      |                | 0.57           |                   |                                      |
| 2 Not notice someone stepping out from behind a parked vehicle until it is nearly too late                                                                                        | 2.75 | 1.02      |                | 0.57           |                   |                                      |
| 8 Distracted or pre-occupied, you suddenly realize that the vehicle in front has slowed, and you have to brake hard to avoid a collision                                          | 2.86 | 0.98      |                | 0.62           |                   |                                      |
| 7 Queuing to turn left (in England, turn right in other countries) on a main road, you pay such close attention to the mainstream of traffic that you nearly hit the car in front | 2.58 | 1.00      |                | 0.62           |                   |                                      |
| 6 Fail to notice or anticipate another vehicle pulling out in front of you and had difficulty stopping                                                                            | 3.22 | 1.02      |                | 0.63           |                   |                                      |
| 4 Pull onto a main road in front of a vehicle you have not noticed or whose speed you misjudged                                                                                   | 2.84 | 1.02      |                | 0.63           |                   |                                      |
| 33 Wear bright fluorescent strips/patches on your clothing                                                                                                                        | 1.49 | 0.95      |                |                | 0.57              |                                      |
| 43 Wear bright/fluorescent clothing                                                                                                                                               | 1.43 | 0.83      |                |                | 0.62              |                                      |
| 32 Wear motorcycle gloves                                                                                                                                                         | 1.84 | 1.16      |                |                | 0.66              |                                      |
| 42 Wear a full leather-suit                                                                                                                                                       | 1.50 | 0.86      |                |                | 0.67              |                                      |
| 27 Wear motorcycle riding boots                                                                                                                                                   | 1.70 | 1.00      |                |                | 0.71              |                                      |
| 30 Wear body armour/impact protection for the elbows and shoulders                                                                                                                | 1.57 | 0.94      |                |                | 0.75              |                                      |
| 28 Wear protective trousers leather or non leather                                                                                                                                | 1.57 | 0.93      |                |                | 0.82              |                                      |
| 29 Wear a protective jacket leather or non leather                                                                                                                                | 1.54 | 0.87      |                |                | 0.91              |                                      |
| 18 Race away from traffic lights with the intention of beating the driver next to you                                                                                             | 1.88 | 0.97      |                |                |                   | 0.36                                 |
| 41 Ride when you suspect you might be over the legal limit for alcohol                                                                                                            | 1.84 | 1.05      |                |                |                   | 0.36                                 |
| 14 Exceed the speed limit on a country/rural road                                                                                                                                 | 2.12 | 1.07      |                |                |                   | 0.60                                 |
| 17 Disregard the speed limit on a residential road                                                                                                                                | 1.98 | 0.98      |                |                |                   | 0.78                                 |
| 15 Disregard the speed limit late at night or in the early hours of the morning                                                                                                   | 2.25 | 1.11      |                |                |                   | 0.86                                 |
| 16 Disregard the speed limit on a motorway                                                                                                                                        | 2.03 | 1.03      |                |                |                   | 0.87                                 |
| Cronbach's alpha                                                                                                                                                                  |      |           | 0.852          | 0.819          | 0.893             | 0.828                                |

Table 5: Achieved results for the rotated factor pattern matrix

violations" (SAV), and explained a further 3.5% of the total variance.

All factors had good reliability with the Cronbach's alpha, ranging from 0.82 to 0.89, and shared weak to moderate correlations (Table 6), indicating that each factor appears to measure a conceptually distinct construct. In this context, the four-factor structure proved to be reasonably interpretable.

### 3.4. Predicting traffic crash accident and offences

The sample data of traffic accidents and penalized violations did not follow the normal distribution, and initially violated the assumption of equi-dispersion. In order to set up a predictive

| Variable                     | 1       | 2       | 3      | 4      | 5      | 6      | 7      | 8      | 9      | 10     | 11     |
|------------------------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1. Age                       | -       |         |        |        |        |        |        |        |        |        |        |
| 2. Gender                    | -0.26   | -       |        |        |        |        |        |        |        |        |        |
| 3. Have license              | 0.01    | -0.04*  | -      |        |        |        |        |        |        |        |        |
| 4. License years             | 0.58**  | -0.24** | 0.45** | -      |        |        |        |        |        |        |        |
| 5. Mileage                   | 0.19**  | -0.17** | 0.19** | 0.26** | -      |        |        |        |        |        |        |
| 6. CE factor                 | 0.16**  | -0.14** | -0.02  | 0.07** | 0.00   | -      |        |        |        |        |        |
| 7. TE factor                 | -0.07** | 0.08**  | 0.06** | -0.03  | 0.03   | -0.01  | -      |        |        |        |        |
| 8. SE factor                 | 0.04    | -0.15** | 0.00   | 0.00   | -0.02  | -0.04  | 0.10** | -      |        |        |        |
| 9. SAV factor                | 2       | -0.20** | 0.07** | 0.07** | 0.11** | 0.02   | 0.35** | 0.26** | -      |        |        |
| 10. Near crashes (12 months) | -0.07** | 0.04    | 0.07** | -0.02  | 0.03   | -0.01  | 0.24** | 0.01   | 0.13** | -      |        |
| 11. Crashes (12 months)      | 0.04    | -0.07** | 0.06** | 0.07** | 0.06** | 0.07** | 0.16** | 0.10** | 0.12** | 0.38** | -      |
| 12. Offences (12 months)     | 0.12**  | -0.18** | 0.04   | 0.14** | 0.07** | 0.07** | 0.07** | 0.02   | 0.11** | 0.18** | 0.25** |

Table 6: The correlations among demographic variables, the number of traffic accidents, offences, and MRBQ factors. \*\*:  $p < 0.01$ ; \*:  $p < 0.05$ ; Gender: 1=Male, 2=Female; Have a driver’s license: 1=Yes, 0=No

model for motorcycle accidents and offences in Vietnam, a negative binomial regression analysis was performed (Denham, 2016). The following predictors were selected in the analysis: age, gender, highest education level achieved, possession of a driver’s licence, the total number of years already riding a motorcycle (riding years), years of holding a driver’s licence, annual riding distance (mileage), ownership of motorcycle and MRBQ factors. The results of the negative binomial regression analysis were presented in Table 7.

As shown in Table 7, the motorcyclist’s gender, age, riding years and traffic errors were the major predictors of accident involvements and traffic offences. According to the incidence rate ratios (IRR), males were expected to have higher rates than females for the annual total number of crashes, near-crashes and offences, i.e. 20%, 16% and 83.3% more, respectively. The motorcyclist’s age was negatively related to the overall number of accident chances and penalized violations, whereas riding years and traffic errors had positive relationships with them. The factor of control errors was associated significantly and positively with the total number of motorcyclists’ crashes and offences. Unexpectedly, 1.092 times more crashes were reported for each increment in the use of safety equipment. The total number of near-crashes and penalized violations grow by about 14%, with each rise of one unit of speed and alcohol-related violation factor. Furthermore, the analysis revealed that unlicensed riders tend to be involved in crash and near-crash circumstances at lower rates than motorists with a valid licence. Participants without private motorcycle appeared to

| Parameter                                     | Incidence rate ratios | 95% Wald CI |       | SD    | Wald $\chi^2$ | Sig.  |
|-----------------------------------------------|-----------------------|-------------|-------|-------|---------------|-------|
| <i>DV: Number of crashes (12 months)</i>      |                       |             |       |       |               |       |
| Gender = Male                                 | 1.200                 | 1.029       | 1.398 | 0.078 | 5.44          | 0.020 |
| Have a driver's license = No                  | 0.689                 | 0.488       | 0.973 | 0.176 | 4.48          | 0.034 |
| Age                                           | 0.945                 | 0.915       | 0.977 | 0.017 | 11.11         | 0.001 |
| Riding years                                  | 1.046                 | 1.007       | 1.087 | 0.019 | 5.33          | 0.021 |
| Control errors                                | 1.133                 | 1.069       | 1.201 | 0.030 | 17.51         | 0.000 |
| Traffic errors                                | 1.255                 | 1.183       | 1.331 | 0.030 | 57.43         | 0.000 |
| Safety equipment                              | 1.092                 | 1.027       | 1.161 | 0.031 | 7.88          | 0.005 |
| <i>DV: Number of near-crashes (12 months)</i> |                       |             |       |       |               |       |
| Gender = Male                                 | 1.160                 | 1.006       | 1.336 | 0.072 | 4.18          | 0.041 |
| Have a driver's license = No                  | 0.672                 | 0.501       | 0.901 | 0.149 | 7.08          | 0.008 |
| Having own motorcycle = No                    | 1.236                 | 1.027       | 1.487 | 0.095 | 5.02          | 0.025 |
| Age                                           | 0.914                 | 0.885       | 0.944 | 0.016 | 30.07         | 0.000 |
| Riding years                                  | 1.085                 | 1.047       | 1.123 | 0.018 | 20.45         | 0.000 |
| Mileage                                       | 1.000                 | 1.000       | 1.000 | 0.000 | 7.31          | 0.007 |
| Traffic errors                                | 1.215                 | 1.154       | 1.279 | 0.026 | 54.87         | 0.000 |
| Speed & Alcohol-related violations            | 1.143                 | 1.081       | 1.209 | 0.029 | 21.91         | 0.000 |
| <i>DV: Number of offences (12 months)</i>     |                       |             |       |       |               |       |
| Gender = Male                                 | 1.833                 | 1.462       | 2.297 | 0.115 | 27.66         | 0.000 |
| Age                                           | 0.943                 | 0.898       | 0.990 | 0.025 | 5.62          | 0.018 |
| Riding years                                  | 1.107                 | 1.046       | 1.172 | 0.029 | 12.35         | 0.000 |
| Mileage                                       | 1.000                 | 1.000       | 1.000 | 0.000 | 4.80          | 0.029 |
| Control errors                                | 1.219                 | 1.121       | 1.326 | 0.043 | 21.33         | 0.000 |
| Traffic errors                                | 1.262                 | 1.149       | 1.387 | 0.048 | 23.68         | 0.000 |
| Speed & Alcohol-related violations            | 1.141                 | 1.028       | 1.266 | 0.053 | 6.12          | 0.013 |

Table 7: Negative binomial regression analysis on yearly traffic accident risks and offences. DV: dependent variable



237 have 23.6% more near-crash experiences than owners of motorcycles.

## 238 4. Discussion

239 The literature review revealed a research gap on riding behaviour and its outcomes in Viet-  
240 nam, a nation with 86% of the households owning at least one motorcycle ([United Nations, 2018](#);  
241 [Miaschi, 2019](#)). Therefore, this study focused on validating the MRBQ and investigating the re-  
242 lationship between Vietnamese motorcyclists' demographic variables, riding information, MRBQ  
243 factors, accident risks and traffic offences. There was a difference in the composition of our data  
244 sample with respect to the higher proportion of women (73.3% of participants), whereas men pre-  
245 dominated in previous studies (Table 1). Since we are correcting for gender, at least the main  
246 effects are taken into account, the co-occurrence between gender and other explanatory factors  
247 may be neglected, given that the variance inflation factors were all relatively close to 1. Given  
248 this study's higher percentage of females, the overall incidence of involvement in accidents is lower  
249 than expected, as males are more closely linked to motorcycle crashes ([Al-Balbissi, 2003](#); [Stanoje-  
250 vić et al., 2018](#); [Vlahogianni et al., 2012](#)). In Vietnam, males participated more frequently in traffic  
251 accidents than females, and especially, men were expected to have 83.3% more than women for the  
252 annual number of penalized traffic violations (Table 7). In terms of gender differences, men also  
253 reported substantially more dangerous driving behaviours than women in prior research ([Bachoo  
254 et al., 2013](#)). Therefore, new on-road safety initiatives should be specially targeted at males in  
255 order to raise their safety awareness ([Hoekstra & Wegman, 2011](#)).

256 The MRBQ factor structures identified in earlier research did not apply to the sample of  
257 Vietnamese motorists. Instead, the new Vietnamese MRBQ was revealed based on the results of  
258 factor analysis, including four factors: control errors, traffic errors, safety equipment and speed &  
259 alcohol-related violations. This 4-factor structure was consistent with the Australian and Nigerian  
260 studies ([Sakashita et al., 2014](#); [Sunday, 2010](#)). Nevertheless, the composition of the factors differed  
261 considerably between these studies.

262 With regard to the proposed MRBQ, the control errors factor includes nine items that have  
263 been perceived as stunts (items 21, 23, 24, 25, 26), errors (items 35, 36) or speed violations (items  
264 20, 22) in previous studies (Table 1). Vietnamese riders recognize these items in the context of  
265 losing control or proactively keeping themselves safe instead of intentionally stunting or violating  
266 on the road ([Hsu et al., 2003](#); [WHO, 2017](#); ?). This factor shows the critical distinction between

267 countries in riding patterns and on-road safety perceptions of motorcyclists.

268 Considering that traffic errors have been reported as the most frequent cause of collision involve-  
269 ment in previous studies ([Gruyter et al., 2017](#); [Hung & Huyen, 2011](#)), our work further underlines  
270 the relevance of these traffic errors to the risk of traffic accidents and violations. Recall from  
271 (Table 1), that in contrast to factor structures in previous studies, in our study the traffic errors  
272 factor does not include items relating to speed infringements (item 13, 16, 22) or control errors  
273 (item 12, 35, 36). All thirteen items of the traffic errors factor were related to riders' unintended  
274 mistakes while riding. This result complements the idea that traffic errors are often associated  
275 with motorcyclists' risk perceptions or observational abilities ([Sunday, 2010](#)). It is worth noting  
276 that Vietnamese motorists were more likely to commit to traffic errors than other forms of MRBQ  
277 behaviours (Table 5). Moreover, with each increment of one unit in traffic errors, their crash, near-  
278 crash and offence rates are increasing by more than 20% (Table 7). The undesired prominence  
279 of traffic errors can be explained by the fact that riding a motorcycle is an extremely demanding  
280 task with specific skills, much more complicated than driving a car ([Elliott et al., 2007](#)). To avoid  
281 traffic errors in Vietnam, the design of on-road warning signs should be more intuitive, and the  
282 training program for motorcyclists should include the guidance to identify traffic situations that  
283 often cause these errors ([Giang, 2019](#); [Ou & Liu, 2012](#)).

284 The use of personal protective clothing is extremely uncommon in countries with the highest  
285 motorcycle usage, including Thailand, Vietnam, Indonesia, Malaysia ([Kumphong et al., 2018](#);  
286 [Miaschi, 2019](#); [Lili et al., 2016](#); [Solah et al., 2019](#)). Although the number of motorcycle-related  
287 accidents is abnormally high, Vietnamese motorists stated that they are not yet in the habit of  
288 using safety equipment when riding ([Bao et al., 2017b](#); [Trinh & Le, 2016](#)). This can be explained  
289 by the fact that, aside from the mandatory use of helmets, there are no restrictions on the usage  
290 of motorcycle protective clothing in Vietnam. Especially, given the sense of increased protection  
291 by using additional protective gear, Vietnamese riders tend to commit more traffic errors, making  
292 them more likely to get involved in collisions ([United Nations, 2018](#)). This study shows that the  
293 incidence of crash risks among Vietnamese motorists rose by 9.2%, with each increment in the use  
294 of safety equipment (Table 7). These findings are different from the studies carried out in developed  
295 countries, where most motorcyclists consider the use of protective items as a prerequisite for safe  
296 riding ([Stephens et al., 2017](#)). Motorcycling in Vietnam is the result of irregular traffic patterns  
297 ([Doan & Hobday, 2019](#); [Ngoc & Thanh, 2020](#); [Nguyen-Phuoc et al., 2020](#)). In this regard, we

298 suggest further research to evaluate the effectiveness of various safety equipment for the riders in  
299 motorcycling countries (?).

300 Item 41 “Ride when you suspect you might be over the legal limit for alcohol” was dropped from  
301 most of the previous MRBQ factor structures (Table 1) due to low loading scores. In contrast, this  
302 item had a moderate factor loading in the Vietnamese MRBQ, so it was retained within the speed  
303 and alcohol-related violation (SAV) subscale. The retention of item 41 in the MRBQ is beneficial  
304 for the analysis of the association between drunk riding and the traffic risk within the Vietnamese  
305 context.

306 Besides, all five remaining items of the SAV factor are related to speed infringements. Our  
307 finding highlights a positive correlation between riding under the influence of alcohol and high-  
308 risk behaviours, such as speeding and violating traffic rules, which were also emphasized in other  
309 research (Cherpitel et al., 2003; Pereira et al., 2011; Tran et al., 2012; Zhao et al., 2014). While there  
310 have been "Drunk No Driving" and "Speed Limit Violations Prevention" campaigns in Vietnam,  
311 these infringements continue to be critical factors of traffic problems (Ngoc et al., 2012; Phuong  
312 et al., 2016; Vu et al., 2019). In this nation, the number of near-crashes and penalized violations  
313 increased by approximately 14%, with each rise of the SAV factor (Table 7). It is appropriate to  
314 install more speed traps and tighten control over drunk riding to improve road safety and reduce  
315 speed and alcohol-related accidents in Vietnam (Barrett et al., 2017; Mohamad et al., 2018; Stewart  
316 et al., 2012; Wickramarachchi, 2013).

317 In addition to the points mentioned above, the results of the negative binomial regression  
318 analysis provide some additional insights into the current motorcycling environment in Vietnam.

319 Young riders in Vietnam have higher rates of crash/near-crash and traffic offence (Table 7).  
320 A combination of lack of experience and a propensity to engage in risky behaviours may explain  
321 the higher risk for them, as described in prior studies (?). Similarly, the Vietnamese who borrows  
322 a motorcycle has a significantly higher near-crash rate on the road compared to those who own  
323 a motorcycle. This finding is in line with the results previously published (Haworth et al., 1994;  
324 Reeder et al., 1995; ITF, 2015).

325 Surprisingly, Vietnamese motorists without a riding licence have lower crash/near-crash rates  
326 than licensed riders. There is a different tendency in other studies, where unlicensed riders are  
327 more likely to violate traffic regulations and to be involved in accidents (Curry et al., 2015; Kraus  
328 et al., 1991; ITF, 2015). We assume that unlicensed Vietnamese motorists may be more cautious

while riding because they are concerned about being penalized by the traffic police and recognize their additional risks due to a lack of road safety knowledge. This assumption may explain the reduction in their rate of collision involvement. However, future research is suggested to assess the efficiency and effectiveness of Vietnam's motorcycle training and licensing system (Daniello et al., 2009).

The probability of motorists' crash/near-crash and offences slightly increased with the cumulative riding years in Vietnam (Table 7). In this country, where most people spend considerable time motorcycling inside a traffic system with inherent chaotic characteristics, the number of riding years may positively correlate with the likelihood of traffic accident involvement (Fagnant & Kockelman, 2015). This result poses requirements for further investigations into the relationships between Vietnamese personality traits, attitudes toward on-road safety, traffic environment and riding outcomes. Firstly, given the lack of questions in the current MRBQ to evaluate common riding behaviours in motorcycle-traffic environments, this questionnaire could be extended by adding items related to "use of cell phone while riding," "aggressive riding," "use of impaired motorcycle" or "carrier violations" for potential studies. Secondly, when using the self-reporting approach for data collection, there are some concerns regarding biases. Nevertheless, participants were carefully explained about the purposes of the study and were assured of confidentiality and anonymity; thus, the influence of social desirability bias is likely to be negligible.

## 5. Conclusions

The proposed version of the MRBQ was smartly adapted to investigate on-road crash risks and penalized traffic violations among Vietnamese motorcyclists. The factor analysis of the MRBQ using our collected sample data revealed a notable four-factor structure grouping a total of 36 items. This study also highlighted the robust relationships between motorists' age, gender, the MRBQ factors and accident risks and traffic offences. The findings with respect to motorcycling in Vietnam may be value for decision-makers and practitioners to improve the motorcycle training and licensing system, on-road safety campaigns and development of more effective traffic interventions. Particularly, avoiding common aberrant riding behaviours such as traffic errors, control errors and speeding and alcohol-related violations would significantly reduce the traffic risks for Vietnamese motorists. Regarding the possible recommendations, more efforts need to be directed towards quantifying and verifying the association between motorists' personality traits, risky riding

359 behaviours and traffic risks in countries with significant usage of motorcycles.

## 360 6. Acknowledgements

361 This study has been supported by the Wallonie-Bruxelles International (Project 2.17). The  
362 authors would like to thank Mr Le Quoc Dan, Deputy Director of Department of Public Security  
363 in Danang, Vietnam for his valuable comments regard the content and the validity of the ques-  
364 tionnaire, and AMIGOS team (University of Economics – The University of Danang) for the data  
365 collection process.

## 366 Appendix A. Appendix

| Item | Content                                                                                                                                                                         |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | Fail to notice that pedestrians are crossing when turning into a side street from a main road                                                                                   |
| 2    | Not notice someone stepping out from behind a parked vehicle until it is nearly too late                                                                                        |
| 3    | Not notice a pedestrian waiting at a crossing where the lights have just turned red                                                                                             |
| 4    | Pull onto a main road in front of a vehicle you have not noticed or whose speed you misjudged                                                                                   |
| 5    | Miss "Give Way" signs and narrowly avoid colliding with traffic having right of way                                                                                             |
| 6    | Fail to notice or anticipate another vehicle pulling out in front of you and had difficulty stopping                                                                            |
| 7    | Queuing to turn left (in England; turn right in other countries) on a main road, you pay such close attention to the mainstream of traffic that you nearly hit the car in front |
| 8    | Distracted or pre-occupied, you suddenly realize that the vehicle in front has slowed, and you have to brake hard to avoid a collision                                          |
| 9    | Attempt to overtake someone that you had not noticed to be signaling a right turn (in England; left turn in other countries)                                                    |
| 10   | When riding at the same speed as other traffic, you find it difficult to stop in time when a traffic light has turned against you                                               |
| 11   | Ride so close to the vehicle in front that it would be difficult to stop in an emergency                                                                                        |
| 12   | Run wide when going around a corner                                                                                                                                             |
| 13   | Ride so fast into a corner that you feel like you might lose control                                                                                                            |

|    |                                                                                                |
|----|------------------------------------------------------------------------------------------------|
| 14 | Exceed the speed limit on a country/rural road                                                 |
| 15 | Disregard the speed limit late at night or in the early hours of the morning                   |
| 16 | Disregard the speed limit on a motorway                                                        |
| 17 | Disregard the speed limit on a residential road                                                |
| 18 | Race away from traffic lights with the intention of beating the driver next to you             |
| 19 | Open up the throttle and just go for it on a country road                                      |
| 20 | Ride between two lanes of fast moving traffic                                                  |
| 21 | Got involved in racing other riders or drivers                                                 |
| 22 | Ride so fast into a corner that you scare yourself                                             |
| 23 | Attempt or done a wheelie                                                                      |
| 24 | Pull away too quickly and your front wheel lifted off the road                                 |
| 25 | Intentionally do a wheel spin                                                                  |
| 26 | Unintentionally do a wheel spin                                                                |
| 27 | Wear motorcycle riding boots                                                                   |
| 28 | Wear protective trousers – leather or non-leather                                              |
| 29 | Wear a protective jacket – leather or non-leather                                              |
| 30 | Wear body armour/impact protection for the elbows and shoulders                                |
| 31 | Wear no protecting clothing                                                                    |
| 32 | Wear motorcycle gloves                                                                         |
| 33 | Wear bright fluorescent strips/patches on your clothing                                        |
| 34 | Use daytime headlights on your bike                                                            |
| 35 | Brake or throttle back (slow down) when going around a bend                                    |
| 36 | Change gears when going round a corner or bend                                                 |
| 37 | Find that you have difficulty controlling the bike when riding at speed (e.g. steering wobble) |
| 38 | Skid on a wet road or manhole cover, road making                                               |
| 39 | Have trouble with your visor or goggles fogging up                                             |
| 40 | Another driver deliberately annoys you or puts you at risk                                     |
| 41 | Ride when you suspect you might be over the legal limit for alcohol                            |
| 42 | Wear a full leather-suit                                                                       |
| 43 | Wear bright/fluorescent clothing                                                               |

---

Table A.8: The items related to the original MRBQ

## References

- Al-Balbissi, A. H. (2003). Role of gender in road accidents. *Traffic Injury Prevention*, 4, 64–73. doi:[10.1080/15389580309857](https://doi.org/10.1080/15389580309857).
- Bachoo, S., Bhagwanjee, A., & Govender, K. (2013). The influence of anger, impulsivity, sensation seeking and driver attitudes on risky driving behaviour among post-graduate university students in durban, south africa. *Accident Analysis and Prevention*, 55, 67–76. doi:[10.1016/j.aap.2013.02.021](https://doi.org/10.1016/j.aap.2013.02.021).
- Bao, J., Bachani, A., Viet, C., Quang, L. N., Nguyen, N., & Hyder, A. (2017a). Trends in motorcycle helmet use in vietnam: results from a four-year study. *Public Health*, 144, S39 – S44. doi:[10.1016/j.puhe.2017.01.010](https://doi.org/10.1016/j.puhe.2017.01.010). Supplement: Global Road Safety: Monitoring Risks and Evaluating Programs.
- Bao, J., Bachani, A. M., Viet, C., Quang, L. N., Nguyen, N., & Hyder, A. A. (2017b). Trends in motorcycle helmet use in vietnam: results from a four-year study. *Public health*, 144, S39–S44. doi:[10.1016/j.puhe.2017.01.010](https://doi.org/10.1016/j.puhe.2017.01.010).
- Barrett, H., Vanlaar, W. G., & Robertson, R. D. (2017). Safe rides as an alternative to alcohol-impaired driving and their effects: A literature review. URL: <http://tirf.ca/wp-content/uploads/2017/08/Safe-rides-A-literature-review-6.pdf>.
- Bentler, P. M. (1990). Comparative fit indexes in structural models. *Psychological bulletin*, 107, 238. doi:[10.1037/0033-2909.107.2.238](https://doi.org/10.1037/0033-2909.107.2.238).
- Browne, M. W., Cudeck, R. et al. (1993). Alternative ways of assessing model fit. *Sage focus editions*, 154, 136–136. doi:[10.1177/0049124192021002005](https://doi.org/10.1177/0049124192021002005).
- Byrne, B. M. (2016). *Structural equation modeling with AMOS: Basic concepts, applications, and programming*. Routledge. doi:[10.4324/9781315757421](https://doi.org/10.4324/9781315757421).
- Cherpitel, C. J., Bond, J., Ye, Y., Borges, G., Macdonald, S., & Giesbrecht, N. (2003). A cross-national meta-analysis of alcohol and injury: Data from the emergency room collaborative

alcohol analysis project (ercaap). *Addiction*, 98, 1277–1286. doi:[10.1046/j.1360-0443.2003.00459.x](https://doi.org/10.1046/j.1360-0443.2003.00459.x).

Curry, A. E., Pfeiffer, M. R., Durbin, D. R., & Elliott, M. R. (2015). Young driver crash rates by licensing age, driving experience, and license phase. *Accident Analysis and Prevention*, 80, 243–250. doi:[10.1016/j.aap.2015.04.019](https://doi.org/10.1016/j.aap.2015.04.019).

Daniello, A., Gabler, H. C., & Mehta, Y. A. (2009). Effectiveness of motorcycle training and licensing. *Transportation Research Record*, (pp. 206–213). doi:[10.3141/2140-23](https://doi.org/10.3141/2140-23).

De Winter, J., & Dodou, D. (2010). The driver behaviour questionnaire as a predictor of accidents: A meta-analysis. *Journal of safety research*, 41, 463–470. doi:[10.1016/j.jsr.2010.10.007](https://doi.org/10.1016/j.jsr.2010.10.007).

Denham, B. E. (2016). *Categorical statistics for communication research*. John Wiley & Sons. doi:[10.1002/9781119407201](https://doi.org/10.1002/9781119407201).

Doan, H. T. N., & Hobday, M. B. (2019). Characteristics and severity of motorcycle crashes resulting in hospitalization in ho chi minh city, vietnam. *Traffic Injury Prevention*, 20, 732–737. doi:[10.1080/15389588.2019.1643460](https://doi.org/10.1080/15389588.2019.1643460).

Elliott, M. A., Baughan, C. J., & Sexton, B. F. (2007). Errors and violations in relation to motorcyclists' crash risk. *Accident Analysis & Prevention*, 39, 491–499. doi:[10.1016/j.aap.2006.08.012](https://doi.org/10.1016/j.aap.2006.08.012).

Evans, L. (1993). Comments on driver behavior and its role in traffic crashes. *Alcohol, Drugs & Driving*, . URL: [https://www.researchgate.net/publication/232484123\\_Comments\\_on\\_driver\\_behavior\\_and\\_its\\_role\\_in\\_traffic\\_crashes](https://www.researchgate.net/publication/232484123_Comments_on_driver_behavior_and_its_role_in_traffic_crashes).

Fagnant, D. J., & Kockelman, K. M. (2015). Motorcycle use in the united states: Crash experiences, safety perspectives, and countermeasures. *Journal of Transportation Safety and Security*, 7, 20–39. doi:[10.1080/19439962.2014.894164](https://doi.org/10.1080/19439962.2014.894164).

Field, A. (2013). *Discovering statistics using IBM SPSS statistics*. sage.

Giang, N. B. (2019). Improvements and challenges associated with the facilitation of road transport in viet nam. *Masami Ishida*, (p. 161). URL: [https://www.ide.go.jp/library/English/Publish/Download/Ec/pdf/201902\\_01\\_ch06.pdf](https://www.ide.go.jp/library/English/Publish/Download/Ec/pdf/201902_01_ch06.pdf).



- 419 Gruyter, C. D., Truong, L. T., & Nguyen, H. T. (2017). Who's calling? social networks and mobile  
420 phone use among motorcyclists. *Accident Analysis & Prevention*, *103*, 143 – 147. doi:[10.1016/](https://doi.org/10.1016/j.aap.2017.04.010)  
421 [j.aap.2017.04.010](https://doi.org/10.1016/j.aap.2017.04.010).
- 422 Haworth, N., Ozanne-Smith, J., Fox, B., & Brumen, I. (1994). Motorcycle-related Injuries to Chil-  
423 dren and Adolesce (No. 56). *Clayton, Victoria: Monash University Accident Research Centre*,  
424 .
- 425 Hill, P. S., Ngo, A. D., Khuong, T. A., Dao, H. L., Hoang, H. T., Trinh, H. T., Nguyen, L. T., &  
426 Nguyen, P. H. (2009). Mandatory helmet legislation and the print media in viet nam. *Accident*  
427 *Analysis & Prevention*, *41*, 789–797. doi:[10.1016/j.aap.2009.04.001](https://doi.org/10.1016/j.aap.2009.04.001).
- 428 Hoekstra, T., & Wegman, F. (2011). Improving the effectiveness of road safety campaigns: Current  
429 and new practices. *IATSS research*, *34*, 80–86. doi:[10.1016/j.iatssr.2011.01.003](https://doi.org/10.1016/j.iatssr.2011.01.003).
- 430 Hsu, T.-P., Sadullah, E. A. F. M., & Dao, I. N. X. (2003). A comparison study on motorcycle  
431 traffic development in some asian countries—case of taiwan, malaysia and vietnam. URL: [http:](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.460.2229&rep=rep1&type=pdf)  
432 [//citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.460.2229&rep=rep1&type=pdf](http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.460.2229&rep=rep1&type=pdf).
- 433 Hu, L.-t., & Bentler, P. M. (1998). Fit indices in covariance structure modeling: Sensitivity  
434 to underparameterized model misspecification. *Psychological methods*, *3*, 424. doi:[10.1037/](https://doi.org/10.1037/1082-989x.3.4.424)  
435 [/1082-989x.3.4.424](https://doi.org/10.1037/1082-989x.3.4.424).
- 436 Hung, D. V., Stevenson, M. R., & Ivers, R. Q. (2008). Barriers to, and factors associated, with  
437 observed motorcycle helmet use in vietnam. *Accident Analysis & Prevention*, *40*, 1627–1633.  
438 doi:[10.1016/j.aap.2008.05.002](https://doi.org/10.1016/j.aap.2008.05.002).
- 439 Hung, K. V., & Huyen, L. T. (2011). Education influence in traffic safety: A case study in vietnam.  
440 *IATSS Research*, *34*, 87 – 93. doi:[10.1016/j.iatssr.2011.01.004](https://doi.org/10.1016/j.iatssr.2011.01.004).
- 441 Huth, V., Füssl, E., & Risser, R. (2014). Motorcycle riders' perceptions, attitudes and strategies:  
442 Findings from a focus group study. *Transportation Research Part F: Traffic Psychology and*  
443 *Behaviour*, *25*, 74–85. doi:[10.1016/j.trf.2014.05.004](https://doi.org/10.1016/j.trf.2014.05.004).
- 444 ITF (2015). *Improving Safety for Motorcycle, Scooter and Moped Riders*. URL: [https://](https://www.oecd-ilibrary.org/content/publication/9789282107942-en)  
445 [www.oecd-ilibrary.org/content/publication/9789282107942-en](https://www.oecd-ilibrary.org/content/publication/9789282107942-en). doi:[https://doi.org/](https://doi.org/https://doi.org/10.1787/9789282107942-en)  
446 <https://doi.org/10.1787/9789282107942-en>.

- 447 Jadaan, K., Al-Braizat, E., Al-Rafayah, S., Gammoh, H., & Y., A. (2018). Traffic safety in  
448 developed and developing countries: A comparative analysis. *Journal of Traffic and Logistics*  
449 *Engineering*, 6, 1–5. doi:[10.18178/jtle.6.1.1-5](https://doi.org/10.18178/jtle.6.1.1-5).
- 450 Jöreskog, K. G., & Sörbom, D. (1986). *LISREL VI: Analysis of linear structural relationships by*  
451 *maximum likelihood, instrumental variables, and least squares methods*. Scientific Software.
- 452 Kitamura, Y., Hayashi, M., & Yagi, E. (2018). Traffic problems in southeast asia featuring the  
453 case of cambodia’s traffic accidents involving motorcycles. *IATSS Research*, 42, 163 – 170.  
454 doi:[10.1016/j.iatssr.2018.11.001](https://doi.org/10.1016/j.iatssr.2018.11.001).
- 455 Kraus, J. F., Anderson, C., Zador, P., Arzemanian, S., & Li, W. (1991). Motorcycle licensure,  
456 ownership, and injury crash involvement. *Am J Public Health*, 81. doi:[10.2105/ajph.81.2.172](https://doi.org/10.2105/ajph.81.2.172).
- 457 Kumphong, J., Satiennam, T., & Satiennam, W. (2018). Correlations among motorcycle-related  
458 deaths, helmet law enforcement and helmet usage for asean countries. *International Journal of*  
459 *GEOMATE*, 15, 72–77. doi:[10.21660/2018.49.TRL100](https://doi.org/10.21660/2018.49.TRL100).
- 460 Lili, X., Yao, Z., & Liping, L. (2016). Risk factors for motorcycle-related severe injuries in a  
461 medium-sized city in china. *AIMS Public Health*, 3, 907–922. doi:[10.3934/publichealth.](https://doi.org/10.3934/publichealth.2016.4.907)  
462 [2016.4.907](https://doi.org/10.3934/publichealth.2016.4.907).
- 463 Lin, M.-R., & Kraus, J. F. (2009). A review of risk factors and patterns of motorcycle injuries.  
464 *Accident Analysis & Prevention*, 41, 710–722. doi:[10.1016/j.aap.2009.03.010](https://doi.org/10.1016/j.aap.2009.03.010).
- 465 Lohnes, P. R. (1971). *Multivariate data analysis*. J. Wiley.
- 466 Miaschi, J. (2019). Countries with the highest motorbike usage. URL: [https://www.worldatlas.](https://www.worldatlas.com/articles/countries-that-ride-motorbikes.html)  
467 [com/articles/countries-that-ride-motorbikes.html](https://www.worldatlas.com/articles/countries-that-ride-motorbikes.html) accessed: 2020-03-23.
- 468 Mohamad, F. F., Abdullah, A. S., Mohamad, J., & Karim, M. R. (2018). Understanding of speed  
469 behaviour in relation to road traffic accident: a comparison between malaysian and vietnamese  
470 drivers. *Malaysian Journal of Civil Engineering*, 30. doi:[10.11113/mjce.v30.165](https://doi.org/10.11113/mjce.v30.165).
- 471 Motevalian, S., Asadi-Lari, M., Rahimi, H., & Eftekhari, M. (2011). Validation of a persian version  
472 of motorcycle rider behavior questionnaire. *Annals of Advances in Automotive Medicine*, 55,  
473 91–98. URL: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3256814/>.

- 474 Ng, C. P., Law, T. H., Abdul Sukor, N. S., Rosli, N. A., & Azemin, S. N. A. (2015). The effect  
475 of supervised riding on young motorcyclists' riding behaviour. *Proceedings of the Eastern Asia*  
476 *Society for Transportation Studies*, 10. URL: [http://www.easts.info/on-line/proceedings/](http://www.easts.info/on-line/proceedings/vol10/pdf/1474.pdf)  
477 [vol10/pdf/1474.pdf](http://www.easts.info/on-line/proceedings/vol10/pdf/1474.pdf).
- 478 Ngo, A., Rao, C., Hoa, N., Hoy, D., Trang, K., & Hill, P. (2012). Road traffic related mortality in  
479 vietnam: Evidence for policy from a national sample mortality surveillance system. *BMC Public*  
480 *Health*, 12. doi:[10.1186/1471-2458-12-561](https://doi.org/10.1186/1471-2458-12-561).
- 481 Ngoc, A. M., & Thanh, T. T. M. (2020). Policy implications from traffic accident analysis: A study  
482 case from vietnam. In *CIGOS 2019, Innovation for Sustainable Infrastructure* (pp. 1043–1048).  
483 Springer Singapore volume 54. doi:[10.1007/978-981-15-0802-8\\_167](https://doi.org/10.1007/978-981-15-0802-8_167).
- 484 Ngoc, L. B., Thieng, N. T., & Huong, N. L. (2012). The drink driving situation in vietnam. *Traffic*  
485 *Injury Prevention*, 13, 109–114. doi:[10.1080/15389588.2011.636408](https://doi.org/10.1080/15389588.2011.636408).
- 486 Nguyen, N. Q., Zuidgeest, M., van den Bosch, F., Sliuzas, R., & van Maarseveen, M. (2013).  
487 Using Accessibility Indicators to Investigate Urban Growth and Motorcycles Use in Ha  
488 Noi City, Vietnam. In *Proceedings of the Eastern Asia Society for Transportation Studies*  
489 (p. 20). volume 9. URL: [https://www.researchgate.net/publication/261912807\\_Using\\_](https://www.researchgate.net/publication/261912807_Using_Accessibility_Indicators_to_Investigate_Urban_Growth_and_Motorcycles_Use_in_Ha_Noi_City_Vietnam)  
490 [Accessibility\\_Indicators\\_to\\_Investigate\\_Urban\\_Growth\\_and\\_Motorcycles\\_Use\\_in\\_Ha\\_](https://www.researchgate.net/publication/261912807_Using_Accessibility_Indicators_to_Investigate_Urban_Growth_and_Motorcycles_Use_in_Ha_Noi_City_Vietnam)  
491 [Noi\\_City\\_Vietnam](https://www.researchgate.net/publication/261912807_Using_Accessibility_Indicators_to_Investigate_Urban_Growth_and_Motorcycles_Use_in_Ha_Noi_City_Vietnam).
- 492 Nguyen-Phuoc, D. Q., Amoh-Gyimah, R., Tran, A. T. P., & Phan, C. T. (2019). Mode choice  
493 among university students to school in danang, vietnam. *Travel Behaviour and Society*, 13,  
494 1–10. doi:[10.1016/j.tbs.2018.05.003](https://doi.org/10.1016/j.tbs.2018.05.003).
- 495 Nguyen-Phuoc, D. Q., Oviedo-Trespalacios, O., Nguyen, T., & Su, D. N. (2020). The effects of  
496 unhealthy lifestyle behaviours on risky riding behaviours – a study on app-based motorcycle taxi  
497 riders in vietnam. *Journal of Transport and Health*, 16. doi:[10.1016/j.jth.2019.100666](https://doi.org/10.1016/j.jth.2019.100666).
- 498 Oluwadiya, K. (2018). The motorcycle rider behaviour questionnaire (mrbq) and commercialmotor-  
499 cycle riders in nigeria. In L. Dorn (Ed.), *Driver Behaviour and Training Volume IV* chapter 16.  
500 (pp. 193–209). Ashgate. doi:[10.1136/ip.2010.029215.691](https://doi.org/10.1136/ip.2010.029215.691).

- 501 Ou, Y.-K., & Liu, Y.-C. (2012). Effects of sign design features and training on comprehension  
502 of traffic signs in taiwanese and vietnamese user groups. *International Journal of Industrial*  
503 *Ergonomics*, 42, 1–7. doi:[10.1016/j.ergon.2011.08.009](https://doi.org/10.1016/j.ergon.2011.08.009).
- 504 Özkan, T., Lajunen, T., Dogruyol, B., Yildirim, Z., & Çoymak, A. (2012). Motorcycle accidents,  
505 rider behaviour, and psychological models. *Accident Analysis and Prevention*, 49, 124–132.  
506 doi:[10.1016/j.aap.2011.03.009](https://doi.org/10.1016/j.aap.2011.03.009).
- 507 Pereira, R. E., Perdoná, G. d. S. C., Zini, L. C., Cury, M. B. S., Ruzzene, M. A. M., Martin, C.  
508 C. S., & Martinis, B. S. D. (2011). Relation between alcohol consumption and traffic violations  
509 and accidents in the region of ribeirão preto, são paulo state. *Forensic Science International*,  
510 207, 164–169. doi:[10.1016/j.forsciint.2010.09.021](https://doi.org/10.1016/j.forsciint.2010.09.021).
- 511 Phuong, N. N., Passmore, J., La Ngoc, Q., & To, O. T. (2016). From provincial pilots  
512 to national drink driving enforcement policy in viet nam. *Injury Prevention*, 22, A226.  
513 doi:[10.1136/injuryprev-2016-042156.629](https://doi.org/10.1136/injuryprev-2016-042156.629).
- 514 Reason, J., Manstead, A., Stradling, S., Baxter, J., & Campbell, K. (1990). Errors and violations  
515 on the roads: a real distinction? *Ergonomics*, 33, 1315–1332. doi:[10.1080/00140139008925335](https://doi.org/10.1080/00140139008925335).
- 516 Reeder, A. I., Chalmers, D. J., & Langley, J. D. (1995). Young on-road motorcyclists in new  
517 zealand: age of licensure, unlicensed riding, and motorcycle borrowing. *Injury prevention :  
518 journal of the International Society for Child and Adolescent Injury Prevention*, 1, 103–108.  
519 doi:[10.1136/ip.1.2.103](https://doi.org/10.1136/ip.1.2.103).
- 520 Rowden, P., Watson, B., Haworth, N., Lennon, A., Shaw, L., & Blackman, R. (2016). Motorcycle  
521 riders' self-reported aggression when riding compared with car driving. *Transportation research  
522 part F: traffic psychology and behaviour*, 36, 92–103. doi:[10.1016/j.trf.2015.11.006](https://doi.org/10.1016/j.trf.2015.11.006).
- 523 Sakashita, C., Senserrick, T., Lo, S., Boufous, S., de Rome, L., & Ivers, R. (2014). The motorcycle  
524 rider behavior questionnaire: Psychometric properties and application amongst novice riders  
525 in australia. *Transportation research part F: traffic psychology and behaviour*, 22, 126–139.  
526 doi:[10.1016/j.trf.2013.10.005](https://doi.org/10.1016/j.trf.2013.10.005).
- 527 Solah, M. S., Hamzah, A., Mohd Jawi, Z., Ariffin, A. H., Paiman, N. F., Md Isa, M. H., &  
528 Khalid, M. S. (2019). The requisite for motorcycle personal protective clothing: Malaysia's

- perspective. *Journal of the Society of Automotive Engineers Malaysia*, 3, 74–83. URL: <http://jsaem.saemalaysia.org.my/index.php/jsaem/article/view/73>.
- Stanojević, P., Lajunen, T., Jovanović, D., Sârbescu, P., & Kostadinov, S. (2018). The driver behaviour questionnaire in south-east europe countries: Bulgaria, romania and serbia. *Transportation research part F: traffic psychology and behaviour*, 53, 24–33. doi:[10.1016/j.trf.2017.12.011](https://doi.org/10.1016/j.trf.2017.12.011).
- Stephens, A., Brown, J., de Rome, L., Baldock, M., Fernandes, R., & Fitzharris, M. (2017). The relationship between motorcycle rider behaviour questionnaire scores and crashes for riders in australia. *Accident Analysis and Prevention*, 102, 202–212. doi:[10.1016/j.aap.2017.03.007](https://doi.org/10.1016/j.aap.2017.03.007).
- Stewart, K. A., Silcock, D., & Wegman, F. C. M. (2012). Reducing drink driving in low- and middle-income countries: challenges and opportunities. *Traffic Injury Prevention*, 13 2, 93–5. doi:[10.1080/15389588.2011.634464](https://doi.org/10.1080/15389588.2011.634464).
- Sullman, M. J., & Taylor, J. E. (2010). Social desirability and self-reported driving behaviours: Should we be worried? *Transportation Research Part F: Traffic Psychology and Behaviour*, 13, 215–221. doi:[10.1016/j.trf.2010.04.004](https://doi.org/10.1016/j.trf.2010.04.004).
- Sunday, O. K. (2010). The performance of the motorcycle rider behaviour questionnaire among commercial motorcycle riders in nigeria. *Injury Prevention*, 16, A194–A194. doi:[10.1136/ip.2010.029215.691](https://doi.org/10.1136/ip.2010.029215.691).
- Tanaka, J. S., & Huba, G. J. (1985). A fit index for covariance structure models under arbitrary gls estimation. *British Journal of Mathematical and Statistical Psychology*, 38, 197–201. doi:[10.1111/j.2044-8317.1985.tb00834.x](https://doi.org/10.1111/j.2044-8317.1985.tb00834.x).
- Thompson, B. (2007). Exploratory and confirmatory factor analysis: Understanding concepts and applications. *Applied Psychological Measurement*, 31, 245–248. doi:[10.1348/000711006X96785](https://doi.org/10.1348/000711006X96785).
- Topolšek, D., & Dragan, D. (2018). Relationships between the motorcyclists' behavioural perception and their actual behaviour. *Transport*, 33, 151–164. doi:[10.3846/16484142.2016.1141371](https://doi.org/10.3846/16484142.2016.1141371).
- Tran, N. T., Bachani, A. M., Pham, V. C., Lunnen, J. C., Jo, Y., Passmore, J., Nguyen, P. N., & Hyder, A. A. (2012). Drinking and driving in vietnam: public knowledge, attitudes, and practices. *Traffic Injury Prevention*, 13, 37–43. doi:[10.1080/15389588.2011.636779](https://doi.org/10.1080/15389588.2011.636779).

Trinh, T., & Le, T. (2016). Motorcycle helmet usage among children passengers: Role of parents as promoter. In *Procedia Engineering* (pp. 10–17). volume 142. doi:[10.1016/j.proeng.2016.02.007](https://doi.org/10.1016/j.proeng.2016.02.007) cited By 5.

Truong, L. T., Nguyen, H. T., & Gruyter, C. D. (2016). Mobile phone use among motorcyclists and electric bike riders: A case study of hanoi, vietnam. *Accident Analysis & Prevention*, 91, 208 – 215. doi:[10.1016/j.aap.2016.03.007](https://doi.org/10.1016/j.aap.2016.03.007).

Tuan, V. A. (2015). *Motorcycle Accidents in Vietnam*. Technical Report Vietnamese-German Transportation Research Center Geneva. URL: <https://www.unece.org/fileadmin/DAM/trans/doc/2015/wp1/ECE-TRANS-WP1-2015-Presentation-12.pdf>.

United Nations (2018). *Road Safety Performance Review, Viet Nam*. Technical Report United Nations. URL: [https://www.unece.org/fileadmin/DAM/trans/roadsafe/unda/RSPR\\_Viet\\_Nam\\_FULL\\_e.pdf](https://www.unece.org/fileadmin/DAM/trans/roadsafe/unda/RSPR_Viet_Nam_FULL_e.pdf).

VAMM (2018). Vamm jointly announces its sales of fourth quarter and whole year 2018 in vietnam. URL: <http://vamm.org.vn/vamm-jointly-announces-its-sale-of-fourth-quarter-and-whole-year-2018-in-vietnam/> accessed: 2019-05-17.

Vlahogianni, E., Yannis, G., & Golias, J. (2012). Overview of critical risk factors in power-two-wheeler safety. *Accident Analysis and Prevention*, 49, 12–22. doi:[10.1016/j.aap.2012.04.009](https://doi.org/10.1016/j.aap.2012.04.009).

Vu, H. M., Tran, T. T., Vu, G. T., Nguyen, C. T., Nguyen, C. M., Vu, L. G., Tran, T. H., Tran, B. X., Latkin, C. A., Ho, C. S., & Ho, R. C. (2019). Alcohol use disorder among patients suffered from road collisions in a vietnamese delta province. *International Journal of Environmental Research and Public Health*, 16, 1–11. doi:[10.3390/ijerph16132423](https://doi.org/10.3390/ijerph16132423).

WHO (2017). *Powered two-and three-wheeler safety: a road safety manual for decision-makers and practitioners*. World Health Organization. Country Office for Thailand. URL: <https://www.who.int/publications-detail/powered-two--and-threewheeler-safety>.

WHO (2018). *Global status report on road safety 2018*. World Health Organization. URL: <https://www.who.int/publications-detail/global-status-report-on-road-safety-2018>.

- 584 Wickramarachchi, P. (2013). *Effectiveness of Anti-Drink Driving Campaign and Its Impact*  
585 *to Drivers*. Technical Report University of Moratuwa. URL: [https://www.academia.](https://www.academia.edu/10010665/Effectiveness_of_Anti-Drink_Driving_Campaign_and_Its_Impact_to_Drivers)  
586 [edu/10010665/Effectiveness\\_of\\_Anti-Drink\\_Driving\\_Campaign\\_and\\_Its\\_Impact\\_to\\_](https://www.academia.edu/10010665/Effectiveness_of_Anti-Drink_Driving_Campaign_and_Its_Impact_to_Drivers)  
587 [Drivers](https://www.academia.edu/10010665/Effectiveness_of_Anti-Drink_Driving_Campaign_and_Its_Impact_to_Drivers).
- 588 Zhao, X., Zhang, X., & Rong, J. (2014). Study of the effects of alcohol on drivers and driving  
589 performance on straight road. *Mathematical Problems in Engineering*, 2014. doi:[10.1155/2014/](https://doi.org/10.1155/2014/607652)  
590 [607652](https://doi.org/10.1155/2014/607652).