Made available by Hasselt University Library in https://documentserver.uhasselt.be

Is there a spillover effect of a right turn on red permission for bicyclists?

Peer-reviewed author version

DE CEUNYNCK, Tim; DANIELS, Stijn; Vanderspikken, Bert; BRIJS, Kris; HERMANS, Elke; BRIJS, Tom & WETS, Geert (2016) Is there a spillover effect of a right turn on red permission for bicyclists?. In: TRANSPORTATION RESEARCH PART F-TRAFFIC PSYCHOLOGY AND BEHAVIOUR, 36, p. 35-45.

DOI: 10.1016/j.trf.2015.10.016

Handle: http://hdl.handle.net/1942/23995



Is there a spillover effect of a right turn on red permission for bicyclists?

Peer-reviewed author version

Made available by Hasselt University Library in Document Server@UHasselt

Reference (Published version):

De Ceunynck, Tim; Daniels, Stijn; Vanderspikken, Bert; Brijs, Kris; Hermans, Elke; Brijs, Tom & Wets, Geert(2016) Is there a spillover effect of a right turn on red permission for bicyclists?. In: TRANSPORTATION RESEARCH PART F-TRAFFIC PSYCHOLOGY AND BEHAVIOUR, 36, p. 35-45

DOI: 10.1016/j.trf.2015.10.016

Handle: http://hdl.handle.net/1942/23995



Is there a spillover effect of a right turn on red permission for bicyclists?

Peer-reviewed author version

Made available by Hasselt University Library in Document Server@UHasselt

Reference (Published version):

De Ceunynck, Tim; Daniels, Stijn; Vanderspikken, B.; Brijs, Kris; Hermans, Elke; Brijs, Tom & Wets, Geert(2016) Is there a spillover effect of a right turn on red permission for bicyclists?. In: TRANSPORTATION RESEARCH PART F-TRAFFIC PSYCHOLOGY AND BEHAVIOUR, 36, p. 35-45

DOI: 10.1016/j.trf.2015.10.016

Handle: http://hdl.handle.net/1942/20357

Is There a Spillover Effect of a Right Turn on Red Permission for Bicyclists?

Tim De Ceunynck*a, Stijn Danielsa, Bert Vanderspikkena, Kris Brijsa, Elke Hermansa, Tom Brijsa, & Geert Wetsa

* Corresponding author

^a Transportation Research Institute Hasselt University Wetenschapspark 5, bus 6 BE-3590 Diepenbeek Belgium

Tel.:+32(0)11 26 91{18, 56, /, 29, 41, 55, 58}

Fax.:+32(0)11 26 91 99

Email: { tim.deceunynck, stijn.daniels, / , kris.brijs, elke.hermans, tom.brijs,

geert.wets }@uhasselt.be

^b Faculty of Applied Engineering Sciences Hasselt University Agoralaan – Building H BE-3590 Diepenbeek Belgium

Tel.: +32(0)11 37 07 77 Email: kris.brijs@uhasselt.be

Abstract

A number of countries allow bicyclists to perform a right turn on red (RTOR) at some specific intersections to promote cycling by reducing the required physical effort and trip time. Implementation of a rule that allows a RTOR for bicyclists at some intersections could lead not only to local effects at those intersections where the rule actually applies, but also to supralocal effects. Using an experimental survey approach, this study explores whether a so-called 'spillover effect' of the rule can be expected. This effect would imply that allowing bicyclists to turn right on red at some intersections causes them to also turn right on red more often at intersections where RTOR for bicyclists is not allowed.

The answers from 768 respondents indicate that respondents with a high awareness of the existence of a RTOR rule for bicyclists (experimental group) turn right on red significantly more often at intersections where RTOR for bicyclists is not permitted than respondents with a low awareness of the rule (control group). This indicates that implementation of the RTOR rule for bicyclists can indeed lead to an increase in red light running at other intersections. This might lead to safety issues at intersections where RTOR for bicyclists is not permitted, since road authorities could have decided not to allow RTOR for bicyclists at these intersections for safety reasons.

The study also finds that men, young people and people who generally perform more risky cycling behaviours have a higher tendency to perform non-permitted RTOR. These findings are in line with existing literature.

Keywords

Right turn on red for bicyclists; RTOR; cycling behaviour; experimental survey; spillover effect

Research highlights

- RTOR for bicyclists allowed in some countries at some specific intersections
- Safety effects of this rule have not been studied in scientific literature before
- Experimental survey, completed by 768 respondents
- Respondents with higher awareness of rule: also more non-permitted RTOR
- This indicates that the rule could lead to an unwanted spillover effect

1 Introduction

Organizing the way people travel in a more sustainable way is one of the key challenges of policy makers in the field of transportation (Gehlert et al., 2013). Many governments therefore focus on encouraging the use of the bicycle in order to reduce the number of cars on the road, and their corresponding negative impacts such as congestion and emissions (Buehler & Pucher, 2012; Ming Wen & Rissel, 2008). Even in countries that do not have a strong cycling culture, such as the United States and Canada, bicycle use and policy attention are increasing, especially in large cities (Akar et al., 2012; Buehler & Pucher, 2012; Pucher & Buehler, 2011).

One of the possibilities to promote the use of the bicycle is to make cycling more convenient and faster (Paige Willis et al., 2013). This can be done, for instance, by avoiding unnecessary stops. In this respect, some countries have adopted a policy of allowing bicyclists to run the red light when turning right at certain signalized intersections, the so-called "right turn on red (RTOR) for bicyclists".

Although the RTOR rule for bicyclists is not a road safety measure, but rather a measure to increase efficiency of travel, implementation of the rule should not lead to an increase in risk. Currently, bicyclists are already overrepresented in many countries' crash statistics, and when cycling would increase in the future, this problem might become more prominent (Weijermars & Wesemann, 2013). Therefore, the safety effects of measures that are aimed at encouraging bicycle use should be carefully monitored in order to avoid that bicyclists' safety is compromised.

Even though RTOR for bicyclists is adopted in a number of countries, including the United States, Canada, The Netherlands, France, and Belgium, the safety effects of this rule have not been evaluated in scientific literature before. Research about the safety effects of RTOR for bicyclists is therefore needed. This study investigates whether a spillover effect (i.e. an unintended increase in red light violations at other places or in other situations) can be expected from the RTOR for bicyclists rule using an experimental survey design. The study takes place in Belgium, where RTOR for bicyclists has recently been adopted.

2 Background

In the United States and in Canada, RTOR is in most states allowed by default for all drivers, usually after coming to a full stop, unless a traffic sign indicates otherwise (Federal Highway Administration, 2009). As part of this rule, also bicyclists are allowed to turn right on red.

Most European countries on the other hand do not allow RTOR for drivers. However, some countries (including The Netherlands, Belgium and France) have implemented a separate RTOR for bicyclists rule. The content of this rule seems fairly similar in these European countries (Belgian Road Safety Institute, 2012; Berthod & Hiron, 2012; CROW, 1991). It is a rule that allows bicyclists (and moped drivers) to turn right through the yellow and red light at specific intersections where a traffic sign or traffic light indicates

this permission (figure 1 shows an example of the sign that is used in Belgium). RTOR for bicyclists is therefore not a general rule, but a location-specific rule that can be implemented by the local road authority. For each intersection, the road authority should judge whether the implementation of RTOR for bicyclists can cause additional safety concerns. When executing a RTOR, the bicyclists are required to yield to other road users they might come in conflict with. Usually, this will be crossing pedestrians or bicyclists, but in case the bicyclists turn right onto a mixed traffic road they can also come in conflict with motorized vehicles coming from their left-hand side.

The focus of this paper will be the separate RTOR for bicyclists rule. RTOR for bicyclists as part of a more general RTOR rule that includes motor vehicle drivers will not be studied. It should also be noted that, despite its name, the RTOR for bicyclists rule can also apply to bicyclists driving straight through at a T-intersection at the side that does not have a connecting side road. Furthermore, it should be noted that in left-driving countries, this rule would correspond to a left turn on red (LTOR) for bicyclists rule.

The RTOR for bicyclists can have two important safety effects, i.e. local effects and supralocal effects. To the best of the authors' knowledge, none of these two possible effects have been formally examined in scientific literature so far.



Figure 1: Traffic sign indicating that RTOR for bicyclists is allowed (Belgium).

One report has been found that discusses the local effects of the rule at the intersections where it applies (Belgian Road Safety Institute, 2012). The study discusses the results of a small-scale observational study of a pilot project of the RTOR rule for bicyclists in Belgium. The observational study concludes that RTOR does not lead to additional local conflicts at the studied intersections; bicyclists performing a RTOR usually do this in a careful way and yield to the road users that have the formal right-of-way. Especially at locations where the bicyclists turn right onto a bicycle track (and therefore do not encounter motorized traffic) the RTOR is less likely to result in an increase in serious crashes, since the additional potential conflicts that are caused by the rule are mainly among vulnerable road users. Crashes among vulnerable road users generally have a relatively low severity (Graw & König, 2002). On the other hand, a number of studies into RTOR permission for motor vehicles indicates that this rule has led to a significant increase in right turn crashes (Elvik et al., 2009; Preusser et al., 1982; Zador et al., 1982, Zador, 1984). Even though transferability of this finding to RTOR for bicyclists is unsure, it still might be an indication of a possible effect.

Supralocal effects have in popular media often been claimed as an argument against allowing RTOR for bicyclists. It is claimed that the RTOR rule may lead to confusion and erodes the value of the red light as an absolute obligation to stop, which can lead to an increase in red light running at places where it is not allowed, which can be considered to be a so-called 'spillover effect'. A spillover effect can generally be defined as an effect of a measure at locations other than the ones that are actually treated by the measure (Condeço-Melhorado et al., 2011; Erke, 2009; Shin & Washington, 2007). Therefore, studies that aim to examine spillover effects, or want to take them into account, gather data about the outcome variable(s) of interest both at treatment sites and at non-treatment sites (Ko et al., 2013; Shin & Washington, 2007). When the measurements from the outcome variable(s) at the non-treatment sites differ between the situation before the implementation of the treatment and the situation after the implementation (after controlling for confounding factors such as trend effects), it can be concluded that a spillover effect takes place.

From a scientific perspective, this hypothesized spillover effect can be linked to the concept of rule-based mistakes. This concept states that human mistakes, either committed consciously (violations) or unconsciously (errors), can result from incorrectly applying a rule (Reason, 2008; Reason et al., 1990). Since the RTOR rule only applies to some signalized intersections, it may lead to such mistakes. Some road users may get confused and perform a RTOR at locations where it is not allowed (errors). Additionally, some road users may 'bend the rules' and consciously perform RTOR at locations where it is not allowed as well (violations), for instance because they perceive the rule as an indication that performing a RTOR is generally not that risky since it is allowed at some places.

Within the frame of this study, it has been decided to focus study efforts on these supralocal effects. The aim of the study is therefore to examine whether a spillover effect exists from the RTOR rule for bicyclists.

3 Study design

The existence of a spillover effect for the RTOR rule for bicyclists is investigated using an online experimental survey design. The study focuses on whether a spillover effect exists, and whether it is related to some socio-demographic variables. The core of the survey is a series of pictures from the viewpoint of a bicyclist, showing a situation where the respondents need to indicate whether they will turn right on red in that particular situation or not. At the start of the survey, the respondents are assigned randomly to either the experimental group or the control group. The experimental group is triggered to have a higher awareness of the existence of the RTOR rule compared to the control group. In case the respondents in the experimental group indicate a higher probability of making a RTOR at locations where it is not allowed, and both groups are similar in all other characteristics, it can be concluded that the difference in responses is caused by the higher awareness of this rule. In that case, it can be considered an indication of the existence of a spillover effect of the RTOR rule for bicyclists.

3.1 About the survey

The study takes place in Belgium, where the law about RTOR for bicyclists has been approved by the Federal Parliament in 2011. Since February 2012, road authorities are allowed to implement the rule on-field. As indicated earlier, this rule only applies at specific intersections where it is indicated by a specific traffic sign (see figure 1). Belgium does not have a RTOR permission for motor vehicle drivers, nor has it ever had any rule that allowed any road user to pass a red light.

The survey is filled out by a convenience sample of 768 respondents. In order to collect data from a sufficiently large sample, we have contacted a list of volunteers who participated in earlier studies from our institute, staff members from a number of organizations such as our university and the municipal administration, social media and a number of online forums. The survey consists of four main blocks, as can be seen in figure 2. Each of these blocks is described in detail in the following sections.




Figure 2: Survey structure.

3.1.1 Socio-demographic variables and general information about the respondents

First, a brief introduction to the survey is provided. Respondents are told that they are participating in a survey about bicyclist behaviour. More detailed information about the purpose of the study is not provided to avoid biased responses.

The first block encompasses questions about socio-demographic and other general information about the respondent. Variables that could have an influence on bicyclist behaviour are included, such as gender, age, education, license ownership, frequency of bicycle use,... More details about the collected variables are presented in table 1.

3.1.2 Respondents' knowledge about RTOR for bicyclists and provision of correct information

In the second block, the traffic sign that indicates that RTOR for bicyclists is allowed is shown to the respondents, and they are asked whether they know the meaning of the sign. Next, the correct meaning of the sign is displayed; i.e. RTOR for bicyclists is allowed at signalized intersections where this sign is mounted, but not at other places. The latter is emphasized in the explanation of the rule to avoid confusion for people who were unaware of the rule before the start of the survey. In the experimental group, this block precedes the questions of the RTOR situations from the third block. In this way, the group has an increased awareness of the existence of the RTOR rule while answering these questions. Respondents in the control group on the other hand answer the questions of the RTOR situations before this block about the RTOR rule. This way, their awareness of the rule is lower while answering the RTOR situations, while we can still check how many of these respondents know about the rule.

The fact that the RTOR rule for bicyclists is already in place has the advantage that it increases the realism of the survey setting. A disadvantage of the fact that the rule is already in place could however be that also respondents in the control group can be aware of the existence of the rule without receiving a trigger, which would make them less suitable as a member of the control group. However, since the RTOR rule for bicyclists was only implemented at a very limited number of locations at the time of the data collection, our assumption is that respondents generally have a very low awareness of the existence of the rule during their everyday behaviour, even if they know that the rule exists. This makes the respondents still suitable as subjects for the control group, even though the rule is already in place. This assumption will be tested in the data analysis.

3.1.3 Stated behaviour in RTOR situations

The third block displays six pictures of intersections where a ROTR rule could be implemented. The picture is taken from the viewpoint of the bicyclist, and the traffic light is red. The respondent is asked "Will you turn right through the red light at this situation?". The answer is provided on a 7-point Likert scale, ranging from "1 – Very likely" till "7 – Very unlikely". In order to minimise socially desirable answers, the instructions about this part of the survey clearly indicate that we are interested in the

respondents' actual behaviour, not their knowledge about the traffic rules that are in place.

At one of the six intersections, RTOR for bicyclists is allowed (the sign is digitally added to the picture), at the other five intersections RTOR for bicyclists is not allowed. To investigate the existence of a spillover effect of RTOR for bicyclists, the respondents' behaviour at the intersections where RTOR is not allowed (i.e., non-treatment sites) is of primary importance. However, one intersection where RTOR is allowed is included for two reasons:

- To mask the true purpose of the study.
- As a double-check to see whether the trigger has worked as intended. In case no difference in behaviour would be found between the experimental group and the control group for locations where RTOR is not allowed (i.e., no spillover effect), it would otherwise not be possible to deduct whether this lack of difference indicates that there is no spillover effect, or that it simply indicates that the trigger has not been strong enough. In case the trigger has worked, the data should show that the experimental group turns right on red significantly more often at the location where RTOR is allowed for bicyclists (i.e. the treatment site) than the control group.

The display order of the six situations is randomized, which avoids interfering factors such as survey fatigue, learning effects, etc... (Shadish et al., 2002).

In order to limit the possible impact of situational and infrastructural elements, a number of features have been kept constant throughout the displayed situations. We have chosen to display a number of situations that have a relatively low complexity, and have a low perceived level of danger regarding the RTOR:

- The bicyclists turn right onto a bicycle path in every situation, and therefore they do not need to merge with motorized traffic. To avoid any misunderstanding, it has also been stressed in the instructions about this part of the survey that respondents always turn right onto a bicycle path, although we believe that this should also be sufficiently visible on each displayed picture.
- No queuing vehicles at the stop line at the intersection leg the picture is taken from.
- No heavy vehicles on the conflicting road.
- No other bicyclists.
- Comparable weather conditions. It has been decided to take the most 'normal' weather condition of the study region, i.e. dry weather, but cloudy.

The six pictures that are used in these questions can be seen in figure 3 a-f. At intersection F, RTOR for bicyclists is allowed (the sign is digitally added below the traffic lights).

3.1.4 Riskiness of respondents' cycling behaviour

The fourth block aims to provide some indication of respondents' general willingness to take risks while cycling. The questions are a selection from the questionnaire developed by Feenstra et al. (2011) to measure risky cycling behaviour. We have adopted the questions from this questionnaire that describe deliberate cycling violations that can have

a safety risk (11 questions in total). Examples of such questions relate to cycling in the dark without lights, cycling under the influence of alcohol, cycling on the footpath, getting pulled by a moped,... Respondents are asked how often they have displayed these particular behaviours during the past two years. The answering possibilities are also adopted from the original questionnaire, and range from "never" to "always" on a sixpoint scale.



Figure 3: Pictures of bicycle RTOR situations.

3.2 Data analysis

First, we analyze whether the experimental group and the control group are comparable. To draw valid conclusions, it is important that the experimental group and the control group are as comparable as possible except for the trigger they have received (Shadish et al., 2002). Since respondents are randomly assigned to either of both groups, the null hypothesis is that both groups are similar in all aspects. For any variable that is used in the analyses, we check whether this null hypothesis needs to be rejected at the 95% confidence interval (95% CI). For continuous variables such as age, we use an independent samples t-test to check whether there is a significant difference between both groups. For categorical variables, a Pearson's chi-square test is used.

Next, a comparison is made between the respondents in the control group who know about the rule, and the ones that do not know about the rule. Respondents' answers regarding the situations where RTOR is not allowed are compared. This tests whether the assumption that even respondents who know about the rule have a very low awareness of the rule in their everyday behaviour is correct. In case there is no significant difference between both groups, the assumption is justified that even respondents who know about the rule have such a low awareness of it that it does not affect their everyday behaviour. In case a significant difference would be found between both groups, only the completely uninformed respondents from the control group (i.e., no trigger and no knowledge of the rule) should be used to compare the results of the experimental group with. A MANOVA test is used to examine this because it allows to define multiple dependent variables. The answers to the five situations where RTOR for bicyclists is not allowed (intersections A-E) are therefore the dependent variables in this test.

Then, a MANOVA test is used to examine whether there is a significant difference in the probability of turning right on red where it is not allowed between the experimental group and the control group. Again, the answers to the pictures of intersections A-E are the dependent variables. In case the MANOVA test indicates a significant difference between both groups, a number of additional analyses are performed.

First, a separate ANOVA analysis for each intersection is performed to check whether there is a significant difference between both groups at each individual intersection.

Next, a multivariate analysis of covariates (MANCOVA) is performed to check whether the impact of the trigger still holds when we correct for other characteristics of the respondents that have a significant influence on the probability of turning right on red. The independent variables are inserted in the analysis using a stepwise forward procedure. All variables that are significant at the 95% CI are kept in the analysis.

The final question is whether the strength of the spillover effect differs between sociodemographic groups. In order to check this, interaction effects between the assignment to either the experimental or control group and other variables are analyzed during the stepwise MANCOVA analysis. In case the interaction effect between the group assignment variable and another variable is significant, it indicates that the spillover effect is not similar for all categories of that variable, and that therefore not all types of respondents are equally affected.

4 Results

4.1 Descriptive statistics

Table 1 shows the descriptive statistics of the control group (2nd column) and the experimental group (3rd column). The 4th column provides the results from the tests that are executed to see whether both groups are comparable or not. The variable 'risk indicator' is an indicator of the riskiness of respondents' overall cycling behaviour. It is calculated by taking the mean of the answer to the 11 questions about general risky behaviour while cycling (fourth block of the survey).

TABLE 1 Descriptive Statistics of Independent Variables and Comparison Between Control Group and Experimental Group

Variable	Control group	Experimental group	Significant
	(N=377)	(N=391)	difference
			between groups?
Age	Mean: 35.157 years	Mean: 33.348 years	t(766) = -1.640;
	S.E.: 0.798	S.E.: 0.762	p = 0.101
Gender	Male: 174	Male: 179	$\chi^2(1) = 0.011;$
	Female: 203	Female: 212	p = 0.917
Education	Low: 24	Low: 17	$\chi^2(2) = 1.549;$
	Secondary: 125	Secondary: 133	p = 0.461
	Higher: 228	Higher: 241	
Foreknowledge of	Yes: 143	Yes: 140	$\chi^2(1) = 0.373;$
RTOR rule?	No: 234	No: 251	p = 0.550
Employment status	Employed: 222	Employed: 198	$\chi^2(2) = 5.460;$
	Not employed: 31	Not employed: 35	p = 0.065
	Student: 124	Student: 158	
Driving license?	Yes: 325	Yes: 334	$\chi^2(1) = 0.097;$
	No: 52	No: 57	p = 0.755
Frequency of cycling	Daily: 131	Daily: 155	$\chi^2(4) = 2.899;$
	Weekly: 102	Weekly: 100	p = 0.575
	Monthly: 63	Monthly: 52	
	Few times / year:	Few times / year:	
	65	68	
	Never: 16	Never: 16	
Risk indicator (= mean	Mean: 1.717	Mean: 1.776	t(757) = 1.723;
of 11 risky cycling	S.E.: 0.023	S.E.: 0.026	p = 0.085
behaviour questions)	Missing: 8	Missing: 1	
(lower value = less			
risky behaviour)			
Been involved as	Yes: 19	Yes: 26	$\chi^2(1) = 0.767;$
bicyclist in a crash	No: 349	No: 364	p = 0.381
during last 2 years?	Missing: 9	Missing: 1	

A relatively large share of respondents are highly educated. It can be seen that approximately one third of respondents indicate that they know the RTOR sign.

The results from the group comparison show that there are no statistically significant differences between the control group and the experimental group, although the number of students is slightly higher in the experimental group. Related to this finding, we also see a slightly lower mean age of the experimental group, and a slightly higher risk indicator. Nevertheless, it can be concluded that both groups are sufficiently comparable.

4.2 Comparison of respondents with and without knowledge of the RTOR rule in the control group

A MANOVA test is used to examine whether the scores for the five situations where no RTOR is allowed (intersections A-E) differ among respondents in the control group who know about the RTOR rule for bicyclists and the ones that do not. The test shows that the differences in the probability of performing a non-permitted RTOR between respondents in the control group that do not know the rule and the ones that do know the rule are small and not statistically significant, F(5, 371) = 1.392, p = 0.226, partial $\eta^2 = 0.018$.

This supports the assumption that even the respondents in the control group who know about the existence of the rule have a low awareness of it in their everyday behaviour. Therefore, it is decided to use both the respondents who know the rule and the ones that do not know the rule in the control group as one single control group to compare the results of the experimental group with. This offers the advantage of having a larger control group, while the risk of 'contaminating' the control group by including respondents who have some foreknowledge about the experimental condition is considered to be limited.

4.3 Difference between both groups regarding the RTOR situations

To test whether there is a difference between the experimental group and the control group regarding the probability of turning right on red where it is not allowed, a MANOVA test is run. Again, respondents' answers for intersections A-E are the five dependent variables. The MANOVA test indicates that the experimental group has a significantly higher probability of turning right on red at locations where it is not allowed, F(5, 762) = 4.086, p = 0.001, partial $p^2 = 0.026$.

The respondents' answers for each individual intersection and the corresponding ANOVA tests are summarized in table 2. It can be seen that respondents in the experimental group are significantly more likely to make a RTOR where it is not allowed at four out of the five intersections that have been inquired. Furthermore, it can be seen that the difference between both groups is largest at the intersection where RTOR for bicyclists is allowed (intersection F), F(1, 766) = 57.614, p < 0.001, partial $\eta^2 = 0.070$. This was to be expected, and it is an indication that the trigger has worked as intended.

Table 2: Mean per group for RTOR situations and results of ANOVA test per intersection

	Control Group	Experimental Group	Significant difference between
2722			groups? (ANOVA)
RTOR at intersection A?	Mean: 5.26	Mean: 4.73	Yes, F(1, 766) =
(1 = very likely; 7 = very)	S.E.: 0.103	S.E.: 0.106	12.752; p< 0.001 ,
unlikely)			partial $\eta^2 = 0.016$
RTOR at intersection B?	Mean: 4.90	Mean: 4.36	Yes, F(1, 766) =
(1 = very likely; 7 = very)	S.E.: 0.108	S.E.: 0.108	12.623; p<0.001 ,
unlikely)			partial $\eta^2 = 0.016$
RTOR at intersection C?	Mean: 4.54	Mean: 4.21	Yes, $F(1, 766) =$
(1 = very likely; 7 = very)	S.E.: 0.111	S.E.: 0.114	4.213; p=0.040 ,
unlikely)			partial $\eta^2 = 0.005$
RTOR at intersection D?	Mean: 4.79	Mean: 4.49	Yes, $F(1, 766) =$
(1 = very likely; 7 = very)	S.E.: 0.111	S.E.: 0.107	3.895; p=0.049 ,
unlikely)			partial $\eta^2 = 0.005$
RTOR at intersection E?	Mean: 4.31	Mean: 4.09	No, $F(1, 766) =$
(1 = very likely; 7 = very)	S.E.: 0.114	S.E.: 0.113	1.979; p=0.160,
unlikely)			partial $\eta^2 = 0.003$
RTOR at intersection F?	Mean: 5.12	Mean: 3.93	Yes, F(1, 766) =
(RTOR is allowed!)	S.E.: 0.109	S.E.: 0.112	57.614; p<0.001 ,
(1 = very likely; 7 = very)			partial $\eta^2 = 0.070$
unlikely)			

4.4 Results of the MANCOVA analysis

A MANCOVA test is used to analyse whether the difference between both groups still holds when correcting for other variables that may affect the likeliness of turning right on red where it is not allowed. Like in the MANOVA analysis, the dependent variables are the answers to intersections A-E.

After correcting for other elements, the group to which the respondent is assigned still has a significant influence on the probability of turning right on red where it is not allowed. Respondents of the experimental group have a significantly higher probability of turning right on red where it is not allowed than respondents in the control group, F(5, 750) = 3.378, p = 0.005, partial $\eta^2 = 0.022$.

Other variables that have a significant influence on the probability of turning right on red where it is not allowed are gender, age and risk indicator. Men are significantly more likely to perform a RTOR that is not allowed than women, F(5, 750) = 2.689, p = 0.020, partial $\eta^2 = 0.018$. Younger respondents are more likely to turn right on red at locations where this is not allowed than older respondents, F(5, 750) = 8.571, p < 0.001, partial $\eta^2 = 0.054$. Respondents with a higher risk indicator are more likely to turn right on red where it is not allowed than respondents with a lower risk indicator, F(5, 750) = 13.178, p < 0.001, partial $\eta^2 = 0.081$. None of the other variables had a significant impact on the probability of turning right on red where it is not allowed. These variables are therefore not included in the final model.

No interaction effects between the group assignment variable and any of the other variables are statistically significant. This indicates that no evidence is found that the spillover effect is stronger for certain socio-demographic groups than for others. The relative increase in RTOR where it is not allowed that is caused by a higher awareness of the rule is therefore considered comparable for all socio-demographic groups of respondents.

5 Discussion

The major new finding in this study is that the awareness of a rule that allows bicyclists to turn right on red at some locations appears to lead to an increase in turning right on red at locations where it is not allowed as well. It should be noted that only one type of manoeuvre is examined in this study, i.e. RTOR manoeuvres onto a bicycle track. Therefore, a spillover effect of the RTOR rule for bicyclists is only shown for this type of manoeuvres. Performing this type of RTOR where it is not allowed can be considered as a violation with a fairly low level of risk. However, it might be an indication that also in other situations than the ones that we have studied, red light running could increase.

Therefore, further research on this topic is strongly recommended. Further research should investigate whether the spillover effect of the measure extends to other RTOR situations with a higher perceived risk, such as RTOR onto a mixed traffic lane. Further research could also examine whether a spillover effect of the RTOR rule for bicyclists can be found for other cycling manoeuvres (such as crossing a road through red), or even to other modes (e.g. an increase in jaywalking for pedestrians).

Since this study makes use of stated behaviour rather than observed behaviour, it is also recommended to examine the spillover effect of RTOR for bicyclists by using observational studies or possibly a bicycle simulator. Stated behaviour questionnaires could be vulnerable to certain forms of answering bias (af Wåhlberg, 2012). However, there is a growing support for the predictive validity of such questionnaires with respect to real behaviour measures (Brijs et al., 2014; Elliott et al., 2013; Hatakka et al., 1997; West et al., 1993). Therefore, the results of this study should be seen as a valid indication for real behaviour that can be observed on field. A limitation of the study is however that it does not allow to identify whether the RTOR for bicyclists rule leads to an increase in RTOR that are not allowed due to an increase in conscious violations, unconscious errors or a combination of both. Further research is recommended to clarify the cause of this increase in RTOR that are not allowed.

The MANCOVA analysis shows that, besides the assignment to either the experimental or the control group, also the variables gender, age and risk indicator have a significant influence on the probability of making a RTOR at locations where it is not allowed. The findings for these variables are in line with existing literature.

Men are significantly more likely to perform a RTOR that is not allowed than women. This finding is in line with previous research about red light running by bicyclists (Johnson et al., 2011, 2013; Wu et al., 2012), and the finding that men generally perform more risky driving behaviour than women (Al-Balbissi, 2003; Evans, 2004). Younger respondents indicate a significantly higher probability of performing a RTOR that is not allowed than

older respondents, which is again in line with findings from previous studies about red light running for bicyclists (Johnson et al., 2013; Wu et al., 2012) and general literature about risky behaviour (Evans, 2004).

Furthermore, respondents with a higher risk indicator (i.e. respondents who indicate that they more often execute a number of risky cycling behaviours in general) have a higher probability to perform a RTOR that is not allowed than respondents who have a lower risk indicator. This indicates a correlation between different types of risky behaviour: respondents who indicate that they frequently perform certain risky cycling behaviours, are also more likely to perform another specific type of risky cycling behaviour. This is in line with existing literature showing a strong co-occurrence of different types of risky behaviours such as risky driving, alcohol and substance abuse and criminal offences (Evans, 2004; Junger et al., 2001; Palamara et al., 2012).

Johnson et al. (2013) found that also education level, employment status and bicycle crash involvement have a significant influence on the probability of committing red light violations as a bicyclist. However, these variables did not have a significant influence on RTOR at intersections where it is not allowed in this study.

Further research could also focus on exploring the impact of infrastructural and situational characteristics on RTOR behaviour by bicyclists. The data analyses show that the difference in RTOR probability between the experimental group and the control group is not constant among all locations where no RTOR is allowed. This can be an indication that the strength of the spillover effect is not constant, and can depend on certain infrastructural and/or situational aspects.

The results show that the difference between experimental group and control group in terms of their likeliness to turn right on red is highest at intersection 'f', where RTOR is allowed. This result is in line with expectations, and confirms that the experimental stimulus has worked as intended. Still, one might have expected that the tendency to turn right on red would be higher at this intersection. The mean Likert score of 3.93 for the experimental group indeed still indicates only a moderate tendency to actually make use of the RTOR permission at that intersection. This might be caused by a lack of familiarity with RTOR. A red traffic light has always been a strict and unequivocal obligation to stop in Belgium, and the RTOR for bicyclists is only a recently implemented exception to this rule. Due to the low number of intersections where the rule was in place at the moment the data were collected, most of the respondents have little or no practical experience with the rule. This might explain why respondents remain hesitant to make use of the RTOR permission. It is likely that this hesitance reduces when the RTOR for bicyclists rule becomes more established over time.

It has been decided to use both the respondents with and without foreknowledge of the RTOR rule for bicyclists in the control group as one single control group to compare the results of the experimental group with to have a larger control group. This involves a risk of contaminating the control group by including respondents who in fact may display behaviour that is to some extent affected by the existence of the rule. In case this would be true, the effect on the study results would be an underestimation of the spillover effect, since these respondents would behave more like the respondents in the experimental group who have been exposed to the experimental stimulus. The true strength of the spillover effect could therefore be underestimated.

Another interesting question that could be addressed in future research is whether the permission of a RTOR for motor vehicle drivers can also lead to spillover effects (for motor vehicle drivers and/or for bicyclists). RTOR for motor vehicle drivers is frequently applied in the United States and in Canada, and is also implemented at a limited number of intersections in some European countries such as Germany, Poland and Lithuania. In case a spillover effect would be found for RTOR for motor vehicles too, this could be an important argument against this rule, in addition to the finding that a RTOR for motor vehicles can lead to a significant increase in injury crashes at locations where the rule is in place (Elvik et al., 2009; Preusser et al., 1982; Zador et al., 1982, Zador, 1984).

It can be questioned which impact the found spillover effect will truly have on the level of road safety. The fact that road authorities have decided not to implement RTOR for bicyclists on all signalized intersections suggests that they expect that RTOR for bicyclists can cause safety issues at some intersections. If the current RTOR rule for bicyclists leads to a spillover effect to intersections where road authorities currently do not allow them, it seems legitimate to expect that at least some of these spillover right turns on red could be performed at locations or in situations where they can cause safety risks. In that sense, the spillover effect of the RTOR rule for bicyclists can be considered as an unwanted side effect of the rule that might pose a safety risk. According to the precautionary principle, it can be argued that governments should not introduce measures such as RTOR for bicyclists, unless they are certain that they do not have negative safety impacts. Further research is needed to assess the possible negative safety effects of this rule.

6 Conclusions

The main conclusion of the paper is that the implementation of a rule that allows bicyclists to turn right on red at some intersections ("RTOR for bicyclists") leads to a spillover effect, i.e. an increase in RTOR at locations where it is not allowed. Other factors that increase RTOR for bicyclists at intersections where it is not allowed are gender, age, and the stated riskiness of respondents' general cycling behaviour. The findings for these characteristics are in line with existing literature: men commit non-permitted RTOR more often than women, younger people more often than older people, and people who generally cycle more risky more often than people who generally cycle less risky.

The findings from this study show that road authorities should consider spillover effects likely to be present in case RTOR for bicyclists is allowed at some intersections. These spillovers might, but are not certain to result in safety issues at intersections where no RTOR for bicyclists is allowed. Further research is needed on this topic to confirm the findings from this paper, and to examine whether this spillover effect extends to other forms of red light running, and to assess the size of the possible negative safety impacts.

7 Acknowledgements

This research was partly supported by a grant from the Research Foundation Flanders. The content of this paper is the sole responsibility of the authors.

8 References

- Af Wåhlberg, A. E. (2009). *Driver Behaviour and Accident Research Methodology: Unresolved Problems*. Surrey, England: Ashgate Publishing Limited.
- Akar, G., Flynn, C., & Namgung, M. (2012). Travel Choices and Links to Transportation Demand Management. *Transportation Research Record: Journal of the Transportation Research Board*, 2319, 77–85. doi:10.3141/2319-09
- Al-Balbissi, A.H. (2003). Role of Gender in Road Accidents. *Traffic Injury Prevention*, 4(1), 64-73. doi:10.1080/15389580309857
- Belgian Road Safety Institute. (2012). Proefproject in het Brussels Hoofdstedelijk Gewest met de toelating voor fietsers om rechtsaf door rood te rijden (B22) of om rechtdoor door rood te rijden (B23) Verslag van een voor- en na-evaluatie (In Dutch). Brussels, Belgium: Team Mobility & Infrastructure, Belgian Road Safety Institute.
- Berthod, C., & Hiron, B. (2012). Sharing the street in urban areas: the example of the "code de la rue" (street use code) in France. In *Proceedings of the 2012 Annual Conference of the Transportation Association of Canada*. Fredericton, Canada.
- Brijs, K., Cuenen, A., Brijs, T., Ruiter, R.A.C., & Wets, G. (2014). Evaluating the effectiveness of a post-license education program for young novice drivers in Belgium. *Accident Analysis* & *Prevention*, 66, 62–71. doi:10.1016/j.aap.2014.01.015
- Buehler, R., & Pucher, J. (2012). Cycling to work in 90 large American cities: new evidence on the role of bike paths and lanes. *Transportation*, *39*(2), 409–432. doi:10.1007/s11116-011-9355-8
- Condeço-Melhorado, A., Gutiérrez, J., & García-Palomares, J. C. (2011). Spatial impacts of road pricing: Accessibility, regional spillovers and territorial cohesion. *Transportation Research Part A: Policy and Practice*, 45(3), 185–203. doi:10.1016/j.tra.2010.12.003
- CROW (1991). *Bij rood: rechtsaf vrij voor (brom)fietsers?* (In Dutch). Publication CROW 48). Ede, The Netherlands: CROW.
- Elliott, M.A., Thomson, J.A., Robertson, K., Stephenson, C., & Wicks, J. (2013). Evidence that changes in social cognitions predict changes in self-reported driver behavior: Causal analyses of two-wave panel data. *Accident Analysis & Prevention*, *50*, 905–916. doi:10.1016/j.aap.2012.07.017
- Elvik, R., Høye, A., Vaa, T., & Sørensen, M. (2009). *Handbook of Road Safety Measures* (2nd ed.). Bingley, UK: Emerald Group Publishing Limited.
- Erke, A. (2009). Red light for red-light cameras?: A meta-analysis of the effects of red-light cameras on crashes. *Accident Analysis & Prevention*, *41*(5), 897–905. doi:10.1016/j.aap.2008.08.011
- Evans, L. (2004). Traffic Safety. Bloomfield Hills, USA: Science Serving Society.
- Federal Highway Administration (2012). *Manual on uniform traffic control devices for streets and highways.* Federal Highway Administration, Washington D.C., USA.
- Feenstra, H., Ruiter, R.A.C., Schepers, J., Peters, G.-J., & Kok, G. (2011). Measuring risky adolescent cycling behaviour. *International Journal of Injury Control and Safety Promotion*, 18(3), 181–187. doi:10.1080/17457300.2010.540334
- Gehlert, T., Dziekan, K., & Gärling, T. (2013). Psychology of sustainable travel behavior. *Transportation Research Part A: Policy and Practice*, 48, 19–24. doi:10.1016/j.tra.2012.10.001

- Graw, M., & König, H. (2002). Fatal pedestrian-bicycle collisions. *Forensic Science International*, 126(3), 241–247. doi:10.1016/S0379-0738(02)00085-3
- Hatakka, M., Keskinen, E., Katila, A., & Laapotti, S. (1997). Self-reported driving habits are valid predictors of violations and accidents. In *Traffic and Transport Psychology: Theory and Application* (pp. 295–303). Oxford, UK: Pergamon.
- Johnson, M., Charlton, J., Oxley, J., & Newstead, S. (2013). Why do cyclists infringe at red lights? An investigation of Australian cyclists' reasons for red light infringement. *Accident Analysis & Prevention*, 50, 840–847. doi:10.1016/j.aap.2012.07.008
- Johnson, M., Newstead, S., Charlton, J., & Oxley, J. (2011). Riding through red lights: The rate, characteristics and risk factors of non-compliant urban commuter cyclists. *Accident Analysis & Prevention*, 43(1), 323–328. doi:10.1016/j.aap.2010.08.030
- Junger, M., West, R., & Timman, R. (2001). Crime and Risky Behavior in Traffic: An Example of Cross-Situational Consistency. *Journal of Research in Crime and Delinquency*, 38(4), 439–459. doi:10.1177/0022427801038004005
- Ko, M., Geedipally, S., & Walden, T. (2013). Effectiveness and Site Selection Criteria for Red Light Camera Systems. *Transportation Research Record: Journal of the Transportation Research Board*, 2327, 53–60. doi:10.3141/2327-07
- Ming Wen, L., & Rissel, C. (2008). Inverse associations between cycling to work, public transport, and overweight and obesity: Findings from a population based study in Australia. *Preventive Medicine*, 46(1), 29–32. doi:10.1016/j.ypmed.2007.08.009
- Paige Willis, D., Manaugh, K., & El-Geneidy, A. (2013). Uniquely satisfied: Exploring cyclist satisfaction. *Transportation Research Part F: Traffic Psychology and Behaviour*, 18, 136–147. doi:10.1016/j.trf.2012.12.004
- Palamara, P., Molnar, L., Eby, D., Kopinanthan, C., Langford, J., Gorman, J., & Broughton, M. (2012). *Review of young driver risk taking and its association with other risk taking behaviours*. Publication RR 1. Bentley, Australia & Michigan, USA: Curtin-Monash Accident Research Centre & Michigan Center for Advancing Safe Transportation throughout the Lifespan.
- Preusser, D.F., Leaf, W.A., DeBartolo, K.B., Blomberg, R.D., & Levy, M.M. (1982). The effect of right-turn-on-red on pedestrian and bicyclist accidents. *Journal of Safety Research*, *13*(2), 45-55. doi:10.1016/0022-4375(82)90001-9
- Pucher, J., & Buehler, R. (2011). *Analysis of Bicycling Trends and Policies in Large North American Cities: Lessons for New York*. New Brunswick & Alexandria, USA: Rutgers University & Virginia Tech.
- Reason, J. (2008). *The human contribution: unsafe acts, accidents and heroic recoveries*. Surrey, England: Ashgate Publishing Limited.
- Reason, J., Manstead, A., Stradling, S., Baxter, J., & Campbell, K. (1990). Errors and violations on the roads: a real distinction? *Ergonomics*, *33*(10-11), 1315–1332. doi:10.1080/00140139008925335
- Shadish, W. R., Cook, T. D., & Campbell, D. T. (2002). *Experimental and quasi-experimental designs for generalized causal inference* (1st ed.). Belmont, USA: Wadsworth, Cengage Learning.
- Shin, K., & Washington, S. (2007). The impact of red light cameras on safety in Arizona. Accident Analysis & Prevention, 39(6), 1212–1221. doi:10.1016/j.aap.2007.03.010

- Weijermars, W., & Wesemann, P. (2013). Road safety forecasting and ex-ante evaluation of policy in the Netherlands. *Transportation Research Part A: Policy and Practice*, 52, 64–72. doi:10.1016/j.tra.2013.06.001
- West, R., French, D., Kemp, R., & Elander, J. (1993). Direct observation of driving, self reports of driver behaviour, and accident involvement. *Ergonomics*, *36*(5), 557–567. doi:10.1080/00140139308967912
- Wu, C., Yao, L., & Zhang, K. (2012). The red-light running behavior of electric bike riders and cyclists at urban intersections in China: An observational study. *Accident Analysis & Prevention*, 49, 186–192. doi:10.1016/j.aap.2011.06.001
- Zador, P.L. (1984). Right-turn-on-red laws and motor vehicle crashes: A review of the literature. *Accident Analysis & Prevention*, 16(4), 241–245. doi:10.1016/0001-4575(84)90019-8
- Zador, P.L., Moshman, J., & Marcus, L. (1982). Adoption of right turn on red: Effects on crashes at signalized intersections. *Accident Analysis & Prevention, 14*(3), 219–234. doi:10.1016/0001-4575(82)90033-1