Made available by Hasselt University Library in https://documentserver.uhasselt.be

Sensor-based postural feedback is more effective than conventional feedback to improve lumbopelvic movement control in patients with chronic low back pain: a randomised controlled trial Peer-reviewed author version

MATHEVE, Thomas; Brumagne, Simon; Demoulin, Christophe & TIMMERMANS, Annick (2018) Sensor-based postural feedback is more effective than conventional feedback to improve lumbopelvic movement control in patients with chronic low back pain: a randomised controlled trial. In: Journal of NeuroEngineering and Rehabilitation, 15 (Art N° 85).

DOI: 10.1186/s12984-018-0423-6 Handle: http://hdl.handle.net/1942/27170

Sensor-based postural feedback is more effective than conventional feedback to improve

lumbopelvic movement control in patients with chronic low back pain: a randomised

controlled trial.

Thomas Matheve^{1*}, Simon Brumagne², Christophe Demoulin³, Annick Timmermans¹

¹Thomas Matheve (*corresponding author), Annick Timmermans Hasselt University Faculty of medicine and life sciences Agoralaan, building A - 3590 Diepenbeek Belgium Thomas Matheve: <u>Thomas.Matheve@uhasselt.be</u> Annick Timmermans: Annick.Timmermans@uhasselt.be

²Simon Brumagne

KU Leuven – University of Leuven Department of Rehabilitation Sciences Belgium <u>Simon.Brumagne@kuleuven.be</u>

³Christophe Demoulin

University of Liege Department of Sport and Rehabilitation Sciences Liege, Belgium Christophe.Demoulin@uliege.be

1 ABSTRACT

2 Background: Improving movement control can be an important treatment goal for patients with 3 chronic low back pain (CLBP). Although external feedback is essential when learning new movement 4 skills, many aspects of feedback provision in patients with CLBP remain currently unexplored. New 5 rehabilitation technologies, such as movement sensors, are able to provide reliable and accurate 6 feedback. As such, they might be more effective than conventional feedback for improving 7 movement control. The aims of this study were (1) to assess whether sensor-based feedback is more 8 effective to improve lumbopelvic movement control compared to feedback from a mirror or no 9 feedback in patients with chronic low back pain (CLBP), and (2) to evaluate whether patients with 10 CLBP are equally capable of improving lumbopelvic movement control compared to healthy persons. 11 Methods: Fifty-four healthy participants and 54 patients with chronic non-specific LBP were 12 recruited. Both participant groups were randomised into three subgroups. During a single exercise 13 session, subgroups practised a lumbopelvic movement control task while receiving a different type of 14 feedback, i.e. feedback from movement sensors, from a mirror or no feedback (=control group). 15 Kinematic measurements of the lumbar spine and hip were obtained at baseline, during and 16 immediately after the intervention to evaluate the improvements in movement control on the 17 practised task (assessment of performance) and on a transfer task (assessment of motor learning). 18 Results: Sensor-based feedback was more effective than feedback from a mirror (p < 0.0001) and no 19 feedback (p <0.0001) to improve lumbopelvic movement control performance (Sensor vs. Mirror 20 estimated difference 9.9° (95% CI 6.1°-13.7°), Sensor vs. Control estimated difference 10.6° (95% CI 21 6.8°-14.3°)) and motor learning (Sensor vs. Mirror estimated difference 7.2° (95% CI 3.8°-10.6°), 22 Sensor vs. Control estimated difference 6.9° (95% Cl 3.5°-10.2°)). Patients with CLBP were equally 23 capable of improving lumbopelvic movement control compared to healthy persons. 24 **Conclusions**: Sensor-based feedback is an effective means to improve lumbopelvic movement 25 control in patients with CLBP. Future research should focus on the long-term retention effects of 26 sensor-based feedback.

27	Trial registration: clinicaltrials.gov NCT02773160, https://clinicaltrials.gov/ct2/show/NCT02773160
28	(retrospectively registered on May 16 th , 2016).
29	
30	Key-words: low back pain, feedback, movement control, motor learning, sensors, technology
31	
32	
33	BACKGROUND
34	The lifetime prevalence of low back pain (LBP) is reported to be as high as 84%, whereas the
35	estimated prevalence of chronic LBP (CLBP) is approximately 23% [1]. Globally, it is the leading cause
36	of disability [2] and one of the most important reasons for work absenteeism, resulting in a high
37	socioeconomic burden [3].
38	
39	Patients with CLBP form a heterogeneous group, which is exemplified by the differences in
40	movement patterns within this population. While some patients with CLBP stiffen their spine and
41	avoid spinal movements, others show the opposite pattern and adopt end range postures or move
42	excessively into their painful direction [4]. For the latter type of patients, movement control
43	exercises are often prescribed [5]. The aim of these exercises is to learn how to control movements
44	into the painful direction, thereby reducing the mechanical load on the painful structures and
45	decreasing peripheral nociceptive input [6].
46	
47	Changing movement patterns requires motor learning. The importance of external feedback (i.e.
48	feedback coming from a source external to the person performing the task [7]) in motor learning has
49	been well established, and optimizing the way feedback is provided is therefore essential [8, 9].
50	While there is an abundance of literature on the role of extrinsic feedback to improve motor learning
51	in a healthy population, many aspects of feedback provision in patients with LBP remain currently
52	unexplored [9]. When patients with LBP perform lumbar movement control exercises in the absence

53 of a therapist, they typically have to rely on visual feedback (e.g. from a mirror) or palpation [10]. 54 However, the reliability and accuracy of these types of feedback can be questioned [11, 12], which 55 may lead to a suboptimal learning process [7]. With the development of rehabilitation technologies, 56 new opportunities for providing external feedback have emerged [13]. For example, wireless inertial 57 motion sensors can be used to provide easy to understand and accurate feedback to the patient (e.g. 58 via an avatar) [13, 14]. As such, sensor-based postural feedback might be more effective than 59 conventional feedback for improving movement control, which in turn may enhance treatment 60 effects.

61

62 Although movement control exercises are widely used in a variety of chronic pain populations, little 63 is known about the influence of chronic pain on the capacity to learn new movement skills. From a 64 theoretical perspective, it has been suggested that patients with CLBP might have a reduced motor 65 learning capacity [15]. One of the reasons for this hypothesis is that LBP can negatively influence 66 proprioceptive acuity, leading to impaired intrinsic feedback from the lumbar spine [16]. As a 67 consequence, patients with LBP might have to rely more on external feedback and become more 68 dependent on it [7]. In addition, pain demands attention and can distract patients from the 69 movement task [17], which might in turn interfere with the learning process [15]. However, empirical 70 evidence for a reduced motor learning capacity in patients with CLBP is currently lacking and the 71 scantly available research in other chronic pain populations shows equivocal results [18, 19].

72

Therefore, the aims of this study were (1) to assess whether sensor-based feedback is more effective to improve lumbopelvic movement control compared to feedback from a mirror or no feedback in patients with chronic low back pain (CLBP), and (2) to evaluate whether patients with CLBP are equally capable of improving lumbopelvic movement control compared to healthy persons.

77

78

79 **METHODS**

80 Design

81 A randomised controlled trial including healthy persons and patients with CLBP was conducted. Both 82 groups of participants were randomised into three subgroups, each receiving a different type of 83 feedback during the intervention, i.e. feedback from sensors, a mirror or no feedback (= control 84 group). Randomisation was done with a computerised random sequence generator and allocation 85 concealment was obtained by using sequentially numbered, sealed, opaque envelopes prepared by a 86 person not further involved in the study. 87 The intervention consisted of a single exercise session during which participants practised a 88 movement control task while receiving their assigned type of feedback. Movement control was 89 assessed with lumbopelvic kinematics, which were obtained at baseline, during and immediately 90 after the intervention.

- 91
- 92

93 Participants

94 Participants were recruited at private physiotherapy and GP practices and via social media. To be 95 included, all participants needed to be between 18 and 65 years old and patients had to be 96 diagnosed with chronic non-specific LBP (>3 months, ≥3 days/week). Exclusion criteria for all 97 participants were: spinal surgery in the past, an underlying serious disease or a physical problem 98 interfering with daily life activities (e.g. severe knee pain), signs or symptoms of nerve root 99 involvement, performance of lumbopelvic movement control exercises in the past year and 100 pregnancy. Healthy subjects were also excluded if they experienced LBP in the past year. 101 To ensure that participants were able to achieve an improvement in movement control, the 102 performance on the baseline movement control tasks was an additional inclusion criterion. To be 103 included, the maximal lumbar range of motion during the baseline movement control tasks had to 104 exceed 10° (0° would be a perfect performance). Participants with less range of motion on either of 105 the baseline movement control tasks were excluded. Although this threshold of 10° was set a priori, 106 the lumbar range of motion could only be calculated after completion of the full protocol. Therefore, 107 all of the included participants completed the protocol, but only those fulfilling the abovementioned 108 criterion were included in the final analysis.

109

110

111 Assessments

112 Baseline assessments

113 Sociodemographic data were obtained from all participants. Patients with CLBP also completed the 114 Numeric pain rating scale (NPRS) [20] to assess current pain and the average pain during the past 7 115 days, the Roland Morris Disability questionnaire (RMDQ) [21] to assess disability and the Tampa scale 116 for kinesiophobia [22] to assess the fear of movement/re-injury due to physical activity. After 117 completing the questionnaires, participants performed two movement control tasks, i.e. a lifting task 118 followed by a waiter's bow (Fig. 1). Both tasks were standardised for the participants' height and 119 assessed with lumbopelvic kinematic measurements in the sagittal plane. Before the baseline 120 kinematic measurements, the tasks were explained and demonstrated in a standardised way. For the 121 lifting task, participants started from a relaxed standing position and were asked to lift a box with 122 handles from a platform on the floor and to put it back down, while maintaining their lumbar 123 curvature (i.e. not to flex or extend the lumbar spine). Participants were allowed to flex their knees 124 as far as they wanted to. The distance from the box to the hallux was 15 cm. The dimensions of the 125 box were 40 x 30 x 23.5 cm, and it weighed 4 kg. The top of the box was positioned 10 cm below the 126 apex of the subjects' patella. For the waiter's bow, participants started with slightly flexed knees 127 (±20°). Participants were instructed to keep their knees in the same position and to bend forward in 128 the hips while maintaining their lumbar curvature. Participants had to touch the middle of a stool, 129 marked with a piece of tape, which was positioned 15 cm in front of the hallux, and to return to their

starting position. No familiarisation was allowed, and each task was performed five times at a self-selected speed.

132

133 Assessments during and after the intervention

134 Kinematics were also obtained during and three minutes after the intervention. For the post-

135 intervention kinematic assessment, participants first performed the waiter's bow and then the lifting

136 task as described above. Immediately after the post-intervention kinematic assessment, all

137 participants were asked to complete the Borg-scale for perceived exertion [23], and to answer two

138 questions on a 0 to 10 numeric rating scale: 'what was your average LBP intensity during the

experiment?' (0= no pain at all, 10= worst imaginable pain), 'how fearful were you to damage your

140 back?' (0= not fearful at all, 10= extremely fearful). If significant between group differences would be

141 present on the post-intervention questionnaires, these would be controlled for in the data analysis,

142 as they might influence movement patterns [24-26].

143

144 Equipment

145 The Valedo[®] motion research tool (Hocoma, Switzerland) was used to assess the lumbopelvic

146 kinematics and to provide feedback in the sensor groups. This system consists of a laptop and three

147 wireless inertial measurement sensors, which contain a magnetometer, 3D-accelerometer and a 3D-

148 gyroscope. The sensors were placed on the spinous process of L1 and S1, and 20 cm above the lateral

149 femoral condyle (Fig. 1). All three sensors were used for the kinematic assessment, while only the L1

150 and S1 sensors were used to provide feedback in the sensor groups. Details on the kinematic data

- 151 acquisition have been previously described [27].
- 152

153

154

156 Intervention

157 During the intervention, participants practised the waiter's bow during three sets of six repetitions

158 while they received their assigned form of feedback. Each set of exercises was separated by one

159 minute of rest. The lifting task was not practised. The feedback in the different groups was provided

160 as follows:

161 Sensor group: The sensor-feedback was given via an avatar on a computer screen in front of the

162 participants. The avatar was controlled by two movement sensors that were placed on the spinous

163 process of L1 and S1. The upper body of the avatar corresponded with the S1-sensor and the green

rectangle with the L1-sensor (Fig. 2). First, the system was calibrated when the participants assumed

165 the starting position so that the green rectangle was placed in the middle of the avatar's upper body.

166 Participants were instructed to keep the green rectangle on the avatar during the exercises, as this

167 meant that the lumbar curvature was maintained (Fig. 2A). If the rectangle moved anteriorly of the

avatar, this corresponded with a lumbar flexion (Fig. 2B), while a posterior displacement indicated a

169 lumbar extension.

Mirror group: A large mirror was placed laterally to the participants so they could see the stool and
 their whole body, and observe their spinal curvature during the exercises.

172 *Control group*: No feedback was provided.

173

174 Before the exercise trials, participants were explained how to use pelvic tilts to adjust the lumbar

175 curvature. Hereafter, they were allowed to perform up to five pelvic tilts, during which participants in

176 the sensor group could see how pelvic movements affected the position of the green rectangle

177 relative to the avatar, participants in the mirror group could observe in the mirror how the pelvic tilts

178 changed their lumbar curvature, while the control group received no feedback.

179

180

182 Outcome measures for addressing the primary and secondary aims of the study

183 Primary aim - Effectiveness of feedback

184 The influence of the different types of feedback on movement control performance and motor 185 learning was of primary interest. Performance can be measured during or shortly after training, 186 whereas motor learning can be assessed with a transfer test [28]. As the participants only practised 187 the waiter's bow, we used the differences between baseline and post-intervention kinematics of the 188 waiter's bow as a measure of performance, while differences in the lifting task kinematics were used 189 as a measure for motor learning. For each repetition, the maximal range of motion in the lumbar 190 spine and hip joint was calculated and expressed in absolute values. Lumbar spine angles were 191 calculated from the L1 and S1 sensors, while hip joint angles were calculated from the S1 and femoral 192 sensors. This method is highly reliable for both tasks in this study (ICCs= 0.89-0.93) [27]. The minimal 193 detectable change between two measurements for the lifting task is 5.3° for the lumbar spine and 194 8.8° for the hip, while for the waiter's bow this is 6.5° and 11.8°, respectively [27]. An improvement 195 in movement control was defined as a decrease in the lumbar range of motion and an increase in the 196 hip range of motion between baseline and post-intervention assessment. In addition to statistical 197 significance, the abovementioned minimal detectable changes were used to interpret the results.

198

199 Secondary aim – Comparison between healthy persons and patients with CLBP

200 The differences between healthy subjects and patients with CLBP in movement control performance 201 improvement and motor learning was evaluated. This was done by comparing the change in 202 lumbopelvic kinematics between baseline and post-intervention between both participant groups. In 203 addition, the evolution of the performance on the waiter's bow task during the intervention was 204 compared. In this way, it could be determined whether healthy participants and patients with CLBP 205 needed the same number of repetitions to achieve an improvement on the waiter's bow. 206 To investigate whether participants became dependent on the external feedback, the performance 207 on the last exercise trial (with feedback) was compared with the post-intervention performance

(without feedback) on the waiter's bow. A significant decline on the post-intervention performance
would indicate such dependence [7].

210

211

212 Data analysis

213 The statistical analysis was performed with SAS JMP Pro (Version 12.2). To examine the effectiveness 214 of the feedback and the difference in movement control improvement between healthy participants 215 and patients with CLBP, a multiple linear regression was performed. The following variables were 216 entered in the initial model to predict the differences between baseline and post-intervention 217 kinematics: type of feedback (i.e. control, mirror or sensor), health status (i.e. healthy or CLBP), joint 218 (i.e. lumbar spine or hip) and all their pairwise interactions. To control for the baseline values of the 219 lumbar spine and hip angles, this variable was also put in the initial model. The variable 'joint' was 220 included in the model because the movements of the spine and hip were considered to be related to 221 each other. The final model was obtained by stepwise backward regression. The variable with the 222 least significant p-value was left out first, and this was repeated until all the variables reached 223 significance (p< 0.05). A Tukey all pairwise comparison was used as a post-hoc test. 224 A mixed model was used to assess the difference between healthy participants and patients with 225 CLBP in the evolution of the performance on the waiter's bow task. This model was also used to 226 examine the difference between the last repetition of the intervention and the post-intervention 227 performance on the waiter's bow. The same variables from the linear regression were included in the 228 mixed model, but 'repetition number' (i.e. baseline, repetitions during the intervention and post-229 intervention measurements were numbered) and its pairwise interactions with other variables were 230 added as fixed factors. 'Participant' was used as a random factor to account for multiple 231 measurements for the same participant. 232 Sample size calculation was based on an effect size (f^2) of 0.2, power of 0.80 and α -level of 0.05. With

these parameters, a total sample size of 80 participants was needed. Taking into account an attrition

rate of 30% because of baseline performance on the movement control tests, 54 healthy persons and

235 54 patients with CLBP had to be recruited.

- 236
- 237
- 238

239 **RESULTS**

- 240 The flow of participants through the study is shown in Figure 3. Ten (19%) patients with CLBP and
- seven (13%) healthy participants were excluded based on their baseline performance on the
- 242 movement control tasks. No significant differences in demographics (Table 1) and baseline scores on
- 243 kinematic outcome measures (Table 2, first column) were observed between groups.
- 244
- 245

246

	Patients with chronic low back pain			Healthy persons			
Characteristic	Control (n=15)	Mirror (n=15)	Sensor (n=14)	Control (n=17)	Mirror (n=15)	Sensor (n=15)	– p- value
Sociodemographic data							
Age (years)	43 (12)	36 (13)	40 (17)	37 (10)	40 (14)	33 (14)	0.31
Gender, n female (%)	5 (33)	7 (47)	6 (43)	10 (59)	6 (40)	8 (53)	0.31
Height (cm)	176 (11)	175 (7)	171 (8)	174 (5)	170 (9)	172 (9)	0.38
Weight (kg)	78 (14)	69 (12)	70 (11)	70 (11)	63 (11)	71 (13)	0.05
LBP Questionnaires							
Onset LBP <i>(years)</i> ª	3 (7)	4 (6)	6 (10)				0.56
NPRS 7 days (0 – 10)	4.9 (1.5)	4.5 (1.9)	4.5 (1.4)				0.72
NPRS current (0 - 10)	3.1 (2.0)	2.9 (1.9)	3.2 (2.2)				0.93
RMDQ (0 – 24)	7.7 (3.5)	7.5 (4.9)	6.6 (3.3)				0.69
TSK <i>(17 – 68)</i>	37.9 (5.5)	37.1 (6.9)	37.1 (8.6)				0.94

Data are mean (SD), unless mentioned otherwise. LBP= low back pain, NPRS= Numeric pain rating scale, NPRS 7 days= average pain during the past 7 days measured with a NPRS, NPRS current= current pain measured with a NPRS, RMDQ= Roland-Morris Disability Questionnaire, TSK= Tampa scale for kinesiophobia.

249

250

^a Median (IQR)

²⁴⁸

		Baseline	Post- intervention	Mean difference (95%Cl)
Chronic low back pa	in			
Waiter's bow				
Lumbar spine	Control	17.9 (5.9)	17.5 (6.6)	-0.4 (-2.9 to 2.0)
	Mirror	18.5 (4.3)	15.8 (2.7)	-2.7 (-0.5 to -0.2)
	Sensor	16.2 (6.2)	6.5 (4.7)	-9.7 (-13.9 to -5.5) ^a
Нір	Control	27.8 (16.3)	28.3 (15.8)	0.5 (-4.7 to 5.8)
	Mirror	36.0 (13.7)	38.5 (14.2)	2.5 (-3.4 to 8.4)
	Sensor	31.4 (9.8)	46.1 (11.8)	14.7 (6.4 to 23.0) ^a
Lifting task				
Lumbar spine	Control	23.7 (7.2)	22.0 (10.6)	-1.7 (-5.1 to 1.8)
	Mirror	20.5 (7.2)	18.9 (4.7)	-1.6 (-4.1 to 1.0)
	Sensor	21.0 (7.5)	13.9 (7.8)	-7.2 (-3.7 to -10.7)ª
Hip	Control	89.2 (13.6)	87.3 (14.7)	-1.9 (-7.9 to 4.1)
	Mirror	91.1 (13.6)	86.3 (19.2)	-4.9 (-11.5 to 1.8)
	Sensor	89.7 (12.8)	95.4 (9.8)	5.7 (-0.1 to 11.5)
Healthy subjects				
Waiter's bow				
Lumbar spine	Control	20.5 (7.3)	18.7 (9.7)	-1.8 (-6.3 to 2.8)
	Mirror	22.2 (7.7)	20.6 (9.8)	-1.6 (-5.1 to 1.8)
	Sensor	21.5 (6.1)	8.2 (4.4)	-13.3 (-17.9 to -9.4)
Нір	Control	26.1 (10.5)	33.4 (13.8)	7.2 (-1.6 to 12.9)
	Mirror	27.7 (12.7)	33.5 (15.1)	5.8 (1.1 to 10.4)
	Sensor	30.7 (10.1)	45.1 (7.4)	14.5 (9.2 to 19.7) ^a
Lifting task Lumbar spine				
·	Control	24.1 (10.7)	22.4 (11.0)	-1.8 (-3.0 to -0.7)
	Mirror	27.8 (7.0)	26.9 (7.3)	-0.9 (-3.7 to 1.8)
	Sensor	27.0 (8.3)	19.8 (7.0)	-7.1 (-2.6 to -11.7) ^a
Нір	Control	88.0 (13.1)	86.7 (12.7)	-1.3 (-8.8 to 2.1)
	Mirror	92.4 (13.3)	92.6 (7.8)	0.2 (-4.2 to 4.6)
	Sensor	83.9 (14.1)	92.1 (10.7)	8.2 (3.1 to 13.3)

Table 2 Baseline and post-intervention maximal range of motion in the lumbar spine and hip joint.

All data are expressed as angles in degrees (°). Data for baseline and post-intervention are mean (SD). Mean difference= post-intervention minus baseline. ^a Mean difference > measurement error.

252

253

254 **Effectiveness of feedback**

255 The results of the linear regression and post-hoc tests are presented in Table 3 (see Additional file 1

256 for a detailed sum of squares table). In both the healthy participants and patients with CLBP, the

257 sensor group improved significantly more than the mirror and control group (post-hoc tests, p<

258 0.0001), while no differences were observed between the mirror and control group (post-hoc tests,

259 p> 0.91). These results were obtained for both the waiter's bow and the lifting task, as well as for the 260 lumbar spine and hip. The improvements in the sensor groups were also larger than the

261 measurement error (i.e. minimal detectable change), except for the hip during the lifting task (Table

- 262 2). There were no between groups differences in the post-intervention questionnaires (see
- Additional file 2).
- 264 Based on the type III sum of squares tables (see Additional file 1), it is clear that the type of feedback
- is the most important factor contributing to the variance that is explained by the final regression
- 266 models of the waiter's bow and lifting task, while the factor joint only explains a small proportion. A
- significant part of the variance that is explained by the final model of the lifting task can be attributed
- to the baseline scores on the kinematic assessments. Participants who had a worse performance on
- the baseline lifting task had a larger improvement.
- 270

Table 3 Results of the linear regression analysis and post-hoc tests for type of feedback.

Linear regression		Post-hoc multiple comparisons for type of FB			
Fixed effects	p-value Comparison		Estimated differences between groups (95% CI)	p-value	
Waiter's bow					
Initial model					
Health status	0.09				
Type of FB	< 0.0001				
Joint	0.01				
Baseline score kinematics	0.06				
Health status*type of FB	0.61				
Health status*Joint	0.71				
Type of FB*Joint	0.94				
Final model					
Type of FB	< 0.0001	Mirror minus Control	0.6 (-3.1 to 4.4)	0.91	
Joint	0.04	Sensor minus Control	10.6 (6.8 to 14.3)	<0.0001 ^a	
		Sensor minus Mirror	9.9 (6.1 to 13.7)	<0.0001 ^a	
Lifting task					
Initial model					
Health status	0.20				
Type of FB	< 0.0001				
Joint	0.029				
Baseline score kinematics	0.003				
Health status*type of FB	0.65				
Health status*Joint	0.44				
Type of FB*Joint	0.57				
Final model					
Type of FB	<0.0001	Mirror minus Control	-0.3 (-3.7 to 3.0)	0.97	
Joint	0.02	Sensor minus Control	6.9 (3.5 to 10.2)	<0.0001 ^a	
Baseline score kinematics	0.002	Sensor minus Mirror	7.2 (3.8 to 10.6)	<0.0001 ^a	

FB= Feedback, Health status= healthy of CLBP, Joint= lumbar spine or hip, Type of FB= sensor, mirror or control. ^a in favour of the sensor group.

272 Comparison between healthy persons and patients with CLBP

273 The variable health status (i.e. healthy or CLBP) and its interaction with repetition number were not

retained in the final mixed model (Table 4). This indicates that patients with CLBP were equally

- 275 capable of improving lumbopelvic movement control, and that the evolution of the performance on
- the waiter's bow task was similar between both participant groups (see Fig. 4 for an example of the
- sensor groups). These results are further supported by the fact that only a small proportion of the
- 278 variance that is explained by the final model can be attributed to each of the variables pertaining to
- 279 our second research question (see Additional file 3 for a detailed sum of squares table). Post-hoc
- 280 tests also showed that there were no differences between the performance on the last exercise trial
- and the post-intervention assessment of the waiter's bow. This demonstrates that participants in the
- 282 mirror and sensor groups did not become dependent on the feedback.
- 283
- 284

Table 4	Results	for the	mixed	model.
---------	---------	---------	-------	--------

Fixed effects	p-value
Initial model	
Health status	0.40
Type of FB	<0.0001
Joint	<0.0001
Baseline score kinematics	<0.0001
Repetition number	<0.0001
Health status*type of FB	0.83
Health status*Joint	0.01
Type of FB*Joint	0.08
Repetition number*type of FB	<0.0001
Repetition number*Health status	0.28
Repetition number*Joint	0.09
Final model	
Health status	0.38
Type of FB	<0.0001
Baseline score kinematics	<0.0001
Joint	<0.0001
Repetition number	<0.0001
Health status*Joint	0.01
Repetition number*Type of FB	<0.0001
EB- Foodback, Upplith status- hoolithy of CLDD	laint-lumbar china ar hin

FB= Feedback, Health status= healthy of CLBP, Joint= lumbar spine or hip, Type of FB= sensor, mirror or control.

- 286
- 287

288 **DISCUSSION**

289 The primary aim of this study was to compare the effectiveness of different types of external

290 feedback to improve lumbopelvic movement control in healthy persons and patients with CLBP. Our

291 results show that sensor-based postural feedback was more effective to improve lumbopelvic

292 movement control than feedback from a mirror or no feedback. Furthermore, being provided with

293 feedback from a mirror did not lead to better results than receiving no feedback at all.

294

We hypothesize that the lack of improvement in the mirror group could be explained by the difficulty for unexperienced persons to visually detect changes in the lumbar curvature during the waiter's bow. Although physiotherapists can reliably assess the waiter's bow by observation, observer training may play an important role in this assessment [29]. Possibly, a longer teaching and familiarization period before the intervention could have enhanced the effectiveness of the mirror-

300 feedback.

301 In contrast, the very short introduction to the sensor-feedback was sufficient to improve lumbopelvic 302 movement control. We believe that the avatar provided more accurate and easy-to-understand 303 feedback, which required no advanced training in order to interpret it correctly. It has been shown 304 that abstract visualisations can be more effective than very realistic feedback (e.g. via a video or 305 mirror) because they can provide information about key features of the task only, without 306 overwhelming the participants with irrelevant information [8]. Participants in the sensor group only 307 had to look at the green dot relative to the avatar's upper body, while participants in the mirror 308 group could also see movements in other body regions that were irrelevant to the task. 309 In addition, the screen displaying the avatar could be placed in front of the participants, whereas the 310 mirror had to be positioned laterally to visualise the movements in the sagittal plane. Although this 311 difference in position could be interpreted as a confounding factor because participants in the mirror 312 group had to turn their heads in order to view their spinal curvature, the possibility to place the 313 computer screen in the most convenient position should rather be considered as an inherent

314 advantage of the sensor-feedback.

Finally, the improvements on the lifting task were partially explained by the baseline kinematic scores. Participants who performed worse on the lifting task at baseline assessment had a significantly larger improvement, which indicates that the motor learning effect was more pronounced in these participants. This might be explained by the fact that persons who performed worse at the baseline lifting task also had a larger potential for improvement.

320

321 Besides a mirror, various other types of conventional feedback, including tape or palpation [10], can 322 be used to support patients during lumbopelvic movement control exercises. The rationale for 323 comparing the sensor-based feedback to feedback from a mirror was twofold: First, a mirror is 324 frequently being used or recommended to provide postural feedback during lumbopelvic movement 325 control exercises [10, 30-32]. Second, and more importantly, both the mirror and sensors provided 326 visual feedback, whereas palpation and a tape provide tactile feedback. Because visual motion 327 detection is processed differently than tactile motion detection [33], we chose to compare the 328 sensor feedback to feedback from a mirror.

329

Healthy subjects and patients with CLBP were equally capable of improving lumbopelvic movement
control. It has been suggested that pain could negatively influence skill acquisition and motor
learning by distracting people from the task they are performing [15]. However, this distraction
mainly occurs when the pain is more intense, unfamiliar or unexpected [17]. The patients with CLBP
in our study did not report an increase in pain during the exercise trials and there is no reason to
assume that the pain they felt was unexpected or unfamiliar. Therefore, it is unlikely that patients
with CLBP were distracted from the movement task.

Pain can also affect proprioceptive acuity and impair the intrinsic feedback system [34]. When less
reliable intrinsic feedback is available, the dependency on the extrinsic feedback may increase [7].
Overall, patients with CLBP have decreased lumbosacral proprioception compared to healthy persons

340 [16, 35], so it can be argued that removing the external feedback could influence the performance on 341 the waiter's bow more in patients with CLBP than in healthy participants. On the other hand, these 342 proprioceptive impairments may be position specific (e.g. sit versus stance) [35] and little is known 343 about proprioception during dynamic tasks [16], such as the ones in the present study. Our results 344 show that omitting the external feedback had no influence on the performance on the waiter's bow 345 in both participant groups. This suggests that patients with CLBP also used information from the 346 sensorimotor system to adjust their spinal curvature during the exercise trials [8], and that they did 347 not rely more on the external feedback than healthy subjects. The improvements on the lifting task 348 in the sensor groups further support this notion, as it indicates that both participant groups were 349 able to transfer their newly learned skills to a different task. Therefore, it seems appropriate to use 350 concurrent sensor-based feedback during the initial learning phase of movement control tasks in 351 patients with CLBP.

352

353 Several limitations apply to this study. First, motor learning was only assessed with a transfer test, 354 and not with a retention test. Both the transferability of practised skills and the long-term retention 355 effects are important aspects of motor learning [28]. Because it is impossible to provide movement 356 control training during every single activity an individual needs to perform, persons should be able to 357 implement their newly acquired skills during activities that were not practised. In addition, the 358 movement control improvements should be retained in the long term. However, because a retention 359 test was not included in this study, we cannot make any statements regarding the longstanding 360 effects of the sensor-based feedback.

Second, the mobility of the lower limb joints was not evaluated at baseline assessment. According to
the concept of relative flexibility, a restriction in one joint could influence the movements in an
adjacent joint [6]. Especially during the lifting task, more end range movements were necessary in
the hip joint. As such, a restriction in hip joint mobility could have influenced the lumbar movements.
On the other hand, participants with any physical problems other than LBP (e.g. hip or knee pain)

- 366 that interfered with daily life activities were excluded from this study. Therefore, we believe it is
- 367 unlikely that a (pathological) restriction of lower limb joint mobility would have significantly
- influenced the movement patterns in the lumbar spine.
- 369 Finally, our measurement and feedback system only contained three sensors. Due to these technical
- 370 limitations, we could only measure the movements in the lumbar spine and hip joint. Consequently,
- 371 we cannot exclude that some patients might have used compensatory movements in the thoracic
- 372 spine while performing the movement control tasks. On the other hand, the reduction in lumbar
- 373 ROM in the sensor group was accompanied by an increase in hip joint motion, indicating movements
- in the hip joint and lumbar spine were coupled.
- 375
- 376

377 CONCLUSIONS

378 The recent development of rehabilitation technologies creates new possibilities for therapists and 379 patients to support the rehabilitation process. As such, evaluating the effectiveness of these rapidly 380 evolving technological systems poses an important challenge. The present study shows that sensor-381 based postural feedback is more effective than feedback from a mirror or no feedback to improve 382 lumbopelvic movement control in the short term. Patients with CLBP were equally capable of 383 improving lumbopelvic movement control as compared to healthy participants. Future research 384 should focus on the long-term retention effects and evaluate whether supporting exercises with 385 sensor-based feedback leads to larger improvements in pain and disability compared to conventional 386 exercise therapy. 387 388 389 390

392	List of abbreviations
393	CLBP: chronic low back pain
394	LBP: low back pain
395	
396	Declarations
397	Ethics approval and consent to participate
398	This study was approved by The Ethics Committees of Hasselt University and Jessa Hospital, Belgium
399	(B243201423040). All participants provided written informed consent before being included in the
400	study.
401	
402	Consent for publication
403	Written consent for publication was obtained from the person in the pictures.
404	
405	Availability of data and material.
406	The datasets used and/or analysed during the current study are available from the corresponding
407	author on reasonable request.
408	
409	Competing interests
410	The authors declare that they have no competing interests.
411	
412	Funding
413	None.
414	
415	Authors' contributions
416	TM conceptualised the study, and SB and AT refined the design. TM and CD collected the data. TM
417	drafted the manuscript, and SB, CD and AT revised it for important intellectual content and helped

418	interpr	et the data.					
419							
420	Acknov	vledgements					
421	We wo	We would like to thank Dr. Robin Bruyndonckx and Dr. Francesca Solmi for their advice on the					
422	statisti	cal analysis.					
423							
424							
425							
426	REFERE	INCES					
427 428 429	1.	Airaksinen O, Brox JI, Cedraschi C, Hildebrandt J, Klaber-Moffett J, Kovacs F, Mannion AF, Reis S, Staal JB, Ursin H, Zanoli G: Chapter 4. European guidelines for the management of chronic nonspecific low back pain. <i>Eur Spine J</i> 2006, 15 Suppl 2:S192-300.					
430 431	2.	Hurwitz EL, Randhawa K, Yu H, Cote P, Haldeman S: The Global Spine Care Initiative: a summary of the global burden of low back and neck pain studies. <i>Eur Spine J</i> 2018.					
432 433	3.	Dagenais S, Caro J, Haldeman S: A systematic review of low back pain cost of illness studies in the United States and internationally. <i>Spine J</i> 2008, 8:8-20.					
434 435 436	4.	O'Sullivan P: Diagnosis and classification of chronic low back pain disorders: maladaptive movement and motor control impairments as underlying mechanism. <i>Man Ther</i> 2005, 10:242-255.					
437 438 439	5.	Luomajoki HA, Bonet Beltran MB, Careddu S, Bauer CM: Effectiveness of movement control exercise on patients with non-specific low back pain and movement control impairment: A systematic review and meta-analysis. <i>Musculoskeletal Science and Practice</i> 2018, 36:1-11.					
440 441	6.	Sahrmann SA: Movement System Impairment Syndromes of the Extremities, Cervical and Thoracic Spines. 1st edn: Mosby; 2010.					
442 443	7.	Magill RA: <i>Motor Learning and Control. Concepts and applications.</i> 8th edn: Boston: McGraw-Hill; 2007.					
444 445	8.	Sigrist R, Rauter G, Riener R, Wolf P: Augmented visual, auditory, haptic, and multimodal feedback in motor learning: a review. <i>Psychon Bull Rev</i> 2013, 20:21-53.					
446 447	9.	Ribeiro DC, Sole G, Abbott JH, Milosavljevic S: Extrinsic feedback and management of low back pain: A critical review of the literature. <i>Man Ther</i> 2011, 16:231-239.					
448 449 450 451	10.	Hodges PW, Van Dillen LR, McGill SM, Brumagne S, Hides JA, Moseley GL: Integrated clinical approach to motor control interventions in low back and pelvic pain. In <i>Spinal Control: The rehabilitation of back pain State of the art and science.</i> 1st edition. Edited by Hodges PW, Cholewicki J, Van dieen JH. London, UK: Churchill Livingstone; 2013: 243-309					
452 453 454	11.	Elgueta-Cancino E, Schabrun S, Danneels L, Hodges P: A clinical test of lumbopelvic control: development and reliability of a clinical test of dissociation of lumbopelvic and thoracolumbar motion. <i>Man Ther</i> 2014, 19:418-424.					
455 456 457	12.	Haneline MT, Cooperstein R, Young M, Birkeland K: Spinal motion palpation: a comparison of studies that assessed intersegmental end feel vs excursion. <i>J Manipulative Physiol Ther</i> 2008, 31:616-626.					
458 459	13.	Wang Q, Markopoulos P, Yu B, Chen W, Timmermans A: Interactive wearable systems for upper body rehabilitation: a systematic review. <i>J Neuroeng Rehabil</i> 2017, 14:20.					

460 461 462	14.	Matheve T, Claes G, Olivieri E, Timmermans A: Serious Gaming to Support Exercise Therapy for Patients with Chronic Nonspecific Low Back Pain: A Feasibility Study. <i>Games Health J</i> 2018.
463	15.	Boudreau SA, Farina D, Falla D: The role of motor learning and neuroplasticity in designing
464 465 466 467 468	16.	rehabilitation approaches for musculoskeletal pain disorders. <i>Man Ther</i> 2010, 15:410-414. Brumagne S, Janssens L, Claeys K, Pijnenburg M: Altered variability in proprioceptive control strategy in people with recurrent low back pain. In <i>Spinal control: The rehabilitation of back</i> <i>pain.</i> 1st edition. Edited by Hodges P, Cholewicki J, Van Dieën JH: Churchill Livingstone; 2013: 135-144
469	17.	Eccleston C, Crombez G: Pain demands attention: a cognitive-affective model of the
470	-/.	interruptive function of pain. <i>Psychol Bull</i> 1999, 125:356-366.
471	18.	Vallence AM, Smith A, Tabor A, Rolan PE, Ridding MC: Chronic tension-type headache is
472		associated with impaired motor learning. <i>Cephalalgia</i> 2013, 33:1048-1054.
473	19.	Parker RS, Lewis GN, Rice DA, McNair PJ: The Association Between Corticomotor Excitability
474		and Motor Skill Learning in People With Painful Hand Arthritis. <i>Clin J Pain</i> 2017, 33:222-230.
475	20.	Chapman JR, Norvell DC, Hermsmeyer JT, Bransford RJ, DeVine J, McGirt MJ, Lee MJ:
476		Evaluating common outcomes for measuring treatment success for chronic low back pain.
477		Spine (Phila Pa 1976) 2011, 36:S54-68.
478	21.	Roland M, Morris R: A study of the natural history of back pain. Part I: development of a
479		reliable and sensitive measure of disability in low-back pain. Spine (Phila Pa 1976) 1983,
480		8:141-144.
481	22.	Miller RP, Kori SH, Todd DD: The Tampa Scale. Unpublished report. 1991.
482	23.	Borg GA: Psychophysical bases of perceived exertion. <i>Med Sci Sports Exerc</i> 1982, 14:377-381.
483	24.	Vaisy M, Gizzi L, Petzke F, Consmuller T, Pfingsten M, Falla D: Measurement of Lumbar Spine
484		Functional Movement in Low Back Pain. <i>Clin J Pain</i> 2015, 31:876-885.
485	25.	Trost Z, France CR, Thomas JS: Examination of the photograph series of daily activities
486		(PHODA) scale in chronic low back pain patients with high and low kinesiophobia. <i>Pain</i> 2009,
487		141:276-282.
488	26.	van Dieen JH, van der Burg P, Raaijmakers TA, Toussaint HM: Effects of repetitive lifting on
489		kinematics: inadequate anticipatory control or adaptive changes? <i>J Mot Behav</i> 1998, 30:20-
490 491	27.	32. Matheve T, De Baets L, Rast F, Bauer C, Timmermans A: Within/between-session reliability
491	27.	and agreement of lumbopelvic kinematics in the sagittal plane during functional movement
492		control tasks in healthy persons. <i>Musculoskelet Sci Pract</i> 2018, 33:90-98.
494	28.	Soderstrom NC, Bjork RA: Learning versus performance: an integrative review. <i>Perspect</i>
495	20.	Psychol Sci 2015, 10:176-199.
496	29.	Carlsson H, Rasmussen-Barr E: Clinical screening tests for assessing movement control in
497		non-specific low-back pain. A systematic review of intra- and inter-observer reliability
498		studies. <i>Man Ther</i> 2013, 18:103-110.
499	30.	Vibe Fersum K, O'Sullivan P, Skouen JS, Smith A, Kvale A: Efficacy of classification-based
500		cognitive functional therapy in patients with non-specific chronic low back pain: a
501		randomized controlled trial. <i>Eur J Pain</i> 2013, 17:916-928.
502	31.	O'Sullivan PB, Caneiro JP, O'Keeffe M, Smith A, Dankaerts W, Fersum K, O'Sullivan K:
503		Cognitive Functional Therapy: An Integrated Behavioral Approach for the Targeted
504		Management of Disabling Low Back Pain. Phys Ther 2018, 98:408-423.
505	32.	Sheeran L, van Deursen R, Caterson B, Sparkes V: Classification-guided versus generalized
506		postural intervention in subgroups of nonspecific chronic low back pain: a pragmatic
507		randomized controlled study. Spine (Phila Pa 1976) 2013, 38:1613-1625.
508	33.	Nakashita S, Saito DN, Kochiyama T, Honda M, Tanabe HC, Sadato N: Tactile-visual
509		integration in the posterior parietal cortex: a functional magnetic resonance imaging study.
510		Brain Res Bull 2008, 75:513-525.

511 512 513 514 515 516 517	34. 35.	 Roijezon U, Clark NC, Treleaven J: Proprioception in musculoskeletal rehabilitation. Part 1: Basic science and principles of assessment and clinical interventions. <i>Man Ther</i> 2015, 20:368-377. Tong MH, Mousavi SJ, Kiers H, Ferreira P, Refshauge K, van Dieen J: Is There a Relationship Between Lumbar Proprioception and Low Back Pain? A Systematic Review With Meta-Analysis. <i>Arch Phys Med Rehabil</i> 2017, 98:120-136.e122. 				
518						
519						
520						
521	Additio	onal files				
522	File nar	ne: Additional file 1				
523	Format	: Docx				
524	Title: Ty	ype III sum of squares table of the final model of the regression analyses				
525	Descrip	tion: Table showing the Type III sum of squares table of the final model of the regression				
526	analyse	2S				
527						
528	File nar	ne: Additional file 2				
529	Format	: Docx				
530	Title: R	esults for post-intervention questionnaires				
531	Description: Table showing the results for post-intervention questionnaires					
532						
533	File nar	ne: Additional file 3				
534	Format	: Docx				
535	Title: Ty	ype III sum of squares table for the mixed model analysis				
536	Descrip	tion: Table showing the Type III sum of squares table for the mixed model analysis				
537						
538						
539						

540			
541			
542			
543			
544			
545			
546			
547			
548			
549			
550			
551			
552			
553			
554			
555			
556			
557			
558			
559			
560			
561			
562			
563			
564			
565			

566 List of Figures

Figure 1. Movement control tasks. A. Lifting task. B. Waiter's bow.

Figure 2. Sensor-feedback with an avatar. A. The green rectangle is kept on the upper body of the
 avatar, indicating that the lumbar curvature is maintained. B. The green rectangle moves anteriorly
 to the avatar's upper body, indicating a lumbar flexion.

Figure 3. Design and flow of participants through the trial. FB = feedback.

^a Participants were excluded after the trial, based on their performance on the baseline movement

574 control tasks (exclusion criterion set a priori). Because the performance on the baseline kinematic

575 measurements was calculated after trial completion, all participants were measured post-

intervention, but only 44 participants in the low back pain group and 47 participants in the healthygroup were included in the final analysis.

- 578
 579 Figure 4. Evolution of the performance on the waiter's bow in the Sensor groups throughout the
 580 intervention. On the Y-axis, the range of motion (ROM) in the lumbar spine is shown in proportion to
- intervention. On the Y-axis, the range of motion (ROM) in the lumbar spine is shown in proportion tothe baseline ROM. A decrease in ROM indicates an improvement in movement control.

- - -
- ----