FISEVIER

Contents lists available at ScienceDirect

## Journal of Biomechanics

journal homepage: www.elsevier.com/locate/jbiomech www.JBiomech.com



## Corrigendum

## Corrigendum to "The effect of anteroposterior perturbations on the control of the center of mass during treadmill walking" [J. Biomech. 103 (2020) 109660]



Maud van den Bogaart <sup>a,b</sup>, Sjoerd M. Bruijn <sup>b,c,\*</sup>, Jaap H. van Dieën <sup>b</sup>, Pieter Meyns <sup>a</sup>

The authors regret that Eq. (1) in the methods section in the above paper to calculate the contributions of the CoP and counter-rotation mechanisms to the CoM acceleration differs from the equation used for the data analysis (and to make Fig. 3). The correct equation is:

 $m \cdot CoM_{vertical}(t) \cdot \ddot{CoM_{AP}}(t) = -m \cdot g(CoP_{AP}(t) - CoM_{AP}(t)) + \dot{H}_{sag}(t)$ 

This formula is based on Eq. (5) in Hof (2007). The data analysis and results are unaffected as the correct equation was used.

In the methods we forgot to mention the definition of the coordinate system. The +x axis is defined to the left, the +y axis is defined as forward, and the +z axis is defined as upwards.

The authors would like to apologise for any inconvenience caused.

<sup>&</sup>lt;sup>a</sup> Rehabilitation Research Center (REVAL), Faculty of Rehabilitation Sciences, Hasselt University, Diepenbeek 3590, Belgium

<sup>&</sup>lt;sup>b</sup> MOVE Research Institute Amsterdam, Department of Human Movement Sciences, Faculty of Behavioural and Movement Sciences, Vrije Universiteit Amsterdam, Amsterdam 1081 BT, the Netherlands

<sup>&</sup>lt;sup>c</sup> Institute Brain and Behaviour Amsterdam, Amsterdam, the Netherlands

DOI of original article: https://doi.org/10.1016/j.jbiomech.2020.109660

<sup>\*</sup> Corresponding author at: MOVE Research Institute Amsterdam, Department of Human Movement Sciences, Faculty of Behavioural and Movement Sciences, Vrije Universiteit Amsterdam, Amsterdam 1081 BT, the Netherland.

E-mail address: s.m.bruijn@vu.nl (S.M. Bruijn).